



Lecture Objectives:

By the end of this lecture, the students should be able to:

- ➤ Describe the number, structure, and classification of human chromosomes.
- Explain what a Karyotype is and how it is obtained.
- Describe chromosomal banding and explain its use.
- Describe the process of in situ hybridization and the information it provides.







The study of the <u>structure</u> and <u>function of</u> <u>chromosomes</u> and chromosome <u>behaviour</u> during somatic and germline division

■ Molecular genetics:

The study of the <u>structure</u> and <u>function of genes</u> at a molecular level and how the genes are <u>transferred</u> from generation to generation.



Human Cytogenetics involves the study of human chromosomes in health and disease.


<u>Chromosome studies</u> are an important laboratory diagnostic procedure in


- 1) prenatal diagnosis
- 2) certain patients with mental retardation and multiple birth defects
- 3) patients with abnormal sexual development
- 4) some cases of infertility or multiple miscarriages
- 5) in the <u>study and treatment</u> of patients with malignancies & hematologic disorders.


New techniques allow for increased resolution.




KARYOTYPE








Spectral Karyotype




CHROMOSOMES:

- carry genetic material
- heredity: each pair of homologues consists of one paternal and one maternal chromosome
- The intact set is passed to each daughter cell at every mitosis.




EM of human chromosomes



Orders of DNA coiling and folding:

- Primary coiling: DNA double helix
- Secondary coiling: around histones (basic proteins)→ nucleosomes
- ➤ Tertiary coiling → chromatin fiber
- Chromatin fibers form long loops on non-histone proteins → tighter coils → chromosome






- Banded Karyotype
- **■** High resolution Karyotype

Molecular cytogenetics:

■ Fluorescent in situ hybridization (FISH).


Mitotic cell cycle





A series of steps involved:


- **CULTURING**
- **HARVESTING**
- Slide-Making
- Banding
- Staining
- Karyotyping
- **■** Chromosome Analysis






Procedure of Chromosome Preparation from Peripheral Blood XX Karyotype Analyze "metaphase spread" 5 mL venous blood Digest with trypsin and stain Add phytohemagglutinin Culture media and culture medium with Giemsa contains Phytohemagglutining to stimulate T lymphocytes to Prevents formation divide of the spindle \rightarrow arrest cell division Culture at 37°C Spread cells onto during metaphase for 3 days slide by dropping Add colchicine and Cells fixed hypotonic saline

Metaphase chromosomes:




A single complete set of chromosomes. (N=23 for humans)



- The 2 sister-chromatids are principally held together at the centromeric region.
- Each chromosome has a centromere (CEN), region which contains the kinetochore,
- CEN divides the chromosome into two arms: the short arm (p arm) and the long arm (q arm).
- Each arm terminates in a telomere.

Centromeric position and arm length:



The ratio of the lengths of the two arms is constant for each chromosome.

This ratio is an important parameter for chromosome identification and allows classification of chromosomes into several basic morphologic types:

i-metacentric ii-sub-metacentric iii-acrocentric

In the human karyotype chromosome pairs 13, 14, 15, 21, 22 are *acrocentric*



-22 pairs of autosomes, numbered from 1 to 22 by order of decreasing length


-1 pair of sex chromosomes: XX in the female, XY in the male.

Human Chromosome






Human Chromosome





Based on:


- 1. the length
- 2. the position of the centromere
- 3. the presence or absence of satellites





Items in the Description Of Karyotype:

Normal Karyotypes

Abnormal Karyotypes










- Certain staining techniques cause the chromosomes to take on a banded appearance,
- Each arm presenting a sequence of dark and light bands.
- **❖Patterns are specific and repeatable for each chromosome,**
- **❖Allowing accurate identification and longitudinal mapping for locating gene positions and characterising structural changes.**
- **❖Patterns, and the nomenclature for defining positional mapping have been standardised**


Chromosome Banding

- Band resolution

 estimate of
 number of light +
 dark bands per
 haploid set of
 chromosomes
- 400 → 850+







850



Treat with trypsin and then with Geimsa Stain.

R Banding:

Heat and then treat with Geimsa Stain.

Q Banding:


Treat with Quinicrine dye giving rise to fluorescent bands. It requires an ultraviolet fluorescent microscope


C Banding:

Staining of the Centromere. Treat with acid followed by alkali prior to G banding



Banded Karyotype: Normal Banded Karyotypes






A normal G-banded male Karyotype

A normal R-banded male Karyotype



Nomenclature




An X chromosome showing the short and long arms each subdivided into **regions** & **bands**

Fluorescence In-Situ Hybridization (FISH)



Fluorescence In-Situ Hybridization (FISH)





FISH of interphase nuclei with a chromosome 21 centromeric probe showing 3 signals consistent with trisomy 21

FISH of metaphase with a probe for telomere showing signals at the end of each chromatid



- ➤ The packaging of DNA into chromosomes involves several orders of DNA coiling and folding.
- ➤ The normal human karyotype is made up of 46 chromosomes consisting of 22 pairs of autosomes and a pair of sex chromosomes, XX in the female, and XY in the male.
- ➤ Each chromosome consists of a short (p) and a long (q) arm joined at the centromere.
- Chromosomes are analyzed using cultured cells and specific banding patterns can be identified using special staining techniques.
- Molecular cytogenetic techniques (e.g. FISH) are based on the ability of a single-stranded DNA probe to anneal with its complementary target sequence. They can be used to study chromosmes in metaphase or interphase.

