Lecture Title: Fungi and their pathogenesis

(Foundation Block, Microbiology)





Lecture Objectives...



 To describe the general characteristics of fungi and recognize a fungus from all other living organisms

To establish familiarity with the terminology needed by medical students

 To know certain fundamental facts about classification reproduction and identification of fungi

What is Mycology?..



Mycology:

Study of fungi

Kingdom myceteae (= Kingdom fungi)

Medical mycology: Study of medically important fungi and the mycotic diseases.

Mycoses:

A disease caused by a fungus

What is a Fungus?



Characteristics of fungi:

- All Eukaryotic organisms (a true nucleus)
- 2) Heterotrophic (Saprobic, symbiotic, parasitic)
- 3) Do not have chlorophyll (Achlorophyllous)
- 4) The cell is surrounded by rigid cell wall made of chitin and complex carbohydates (Mannan, glucan)
- 5) Cell membrane : (sterol, ergosterol)

What is a Fungus?



Characteristics of fungi

Saprobic

feed on dead tissues or organic waste (decomposers)

Symbiotic

mutually beneficial relationship between a fungus and another organism

Parasitic

feeding on living tissue of a host. (disease)



1. Yeasts: are unicellular organisms

2. Filamentous fungi (Hyphae, mycelium)

Hyhpae are multicellular filamentous structures, constituted by tubular cells with cell walls.

3. Dimorphic

• Yeast : Parasitic form, Tissue form, Cultured at 37° C

Filamentous: Saprophytic form, Cultured at 25 C

Dimorphic: Have two forms depending on change in the environmental factors Mold form Yeast form




> Yeast:

Colony morphology (Culture)



Have same appearance
How do we differentiate between them?



Budding yeast cell



In Clinical samples
Budding yeast cells
+/- Pseudohyphae

Examples : Candida albicans,

Saccharomyces cerevisiae



Filamentous fungi (Mould=Mold)

A hypha (plural hyphae)

is a long, branching filamentous cell. hyphae are the main mode of vegetative growth.

Mycelium:

The intertwined mass of hyphae that forms the fungal colony.

Conidia/ Spore:


asexual spores borne externally on hyphae or on a conidiophore.

Examples:

Aspergillus, Penicillium, Rhizopus



Filamentous fungi
Hyphal growth from spore



Spore/ conidia


mycelium



> Filamentous fungi










> Filamentous fungi

Conidia / spore: asexual spores borne externally on hyphae or on a conidiophore.

Conidia



Fungal Hypha




Filamentous fungi

Septa:

Cross-walls (septa) that divide hyphae into segments. (septate hypha)

If there are no cross-walls, the hyphae are considered to be non-septate.








> Filamentous fungi (mold)


Moniliaceous molds hyaline or lightly pigmented conidia or hyphae, colorless



Reproduction in Fungi



- I) Asexual: Only mitotic cell division
 - Somatic Yeasts by budding Molds by hyphal fragmentation
 - 2) Spore formation:
- II) Sexual: Fusion, mitosis, meiosis




Spores?



- -These are the small airborne particles by which fungi reproduce.
- -They are produced by mitosis and readily disseminate in the air.

SPORES









PATHOGENICITY OF FUNGI



Fungi can cause diseases to humans

Cause superficial infections, some can cause allergic reactions. Few cause invasive infections

Not all fungi are pathogenic

To cause the disease:

- 1. Thermotolerance
- 2. Ability to survive in tissue environment
- 3. Ability to withstand host defenses

Thank You ©

(Foundation Block, Microbiology)



