
RESPIRATORY VENTILATION LECTURE



Prof. Sultan Ayoub Meo
MBBS, M.Phil, Ph.D (Pak), M Med Ed (Dundee), FRCP (London)
FRCP (Dublin), FRCP (Glasgow), FRCP (Edinburgh)
Professor and Consultant, Department of Physiology,
College of Medicine, King Saud University, Riyadh, Saudi Arabia


LECTURE OUTLI NES / OBJECTIVES




STUDENTS ABLE TO UNDERSTAND:

- Define the various lung volumes and capacities and provide values for each.
- Define ventilation rate, their typical values and their measurement.
- Describe FEV₁ and its role in differentiating obstructive and restrictive lung diseases

PULMONARY / LUNG VOLUMES AND CAPACITIES



RESPIRATORY SYSTEM




Upper respiratory tract


- □ Nose
- Pharynx and associated structures


Lower respiratory tract


- Larynx
- Trachea
- Bronchi
- Lungs


COMPONENTS OF LOWER RESPIRATORY TRACT














Zones of the Respiratory System







Respiratory Zone= 350 ml

DEAD SPACE

Part s of the respiratory tract not participating in gas exchange

- Anatomical dead-space: Tracheo-bronchial tree down to respiratory bronchioles. Normally 2ml/kg or 150ml in an adult, roughly a third of the tidal volume.
- Alveolar Dead Space: Non-perfused alveoli
- **Physiologic Dead Space:** Anatomical + Alveolar


POLLUTION AND DISEASE PATTERN

Dust particles with an aerodynamic diameter of

10μm= nose and pharynx.

2-10µm=tracheo-bronchial tree

 $0.1-2\mu m$ within the alveoli.




Particles smaller then 0.1µm remain in the air stream and are exhaled.


Sheppard et al., 1999 Occup Med, 1991

POLLUTION AND DISEASE PATTERN

- ☐ The larynx and carina are very sensitive to dust particles
- ☐ Terminal bronchioles and even the alveoli are also sensitive to chemical such as sulfur dioxide or chlorine gas.
- ☐ Air expelled at velocities ranging from 75 to 100 miles / hour [Guyton]
- □ 965 Km (600 miles / hour [Ganong]




PULMONARY / LUNG VOLUMES AND CAPACITIES



Spirometers





PHYSIOLOGICAL CONDITIONS AND PULMONARY VOLUMES / CAPACITIES

Physiology conditions:	
☐ Age, Sex, Height, Weight	

- ☐ Ethnic group
- Exercise
- ☐ Posture
- ☐ Pregnancy

All pulmonary volumes and capacities are about 20 to 25 % less in women than in

men, and they are greater in large and

athletic people than in small and asthenic

people

- ☐ Diurnal variation, seasonal, climate
- ☐ Customary activity
- ☐ Geographical location

PULMONARY VOLUMES AND CAPACITIES

Lung Volumes

- Tidal volume: [VT]
- Inspiratory reserve volume [IRV]:
- Expiratory reserve volume [ERV]:
- Residual volume [RV]:

Lung Capacities

- Vital Capacity [FVC]:
- Inspiratory capacity (IC),
- Functional Residual Capacity [FRC]
- Total lung capacity [TLC]:

Physiological variations in lung volumes

Lung volumes	Male	Female
Tidal volume	500	500
IRV	3000	2000
ERV	1100	700
Residual volume	1200	1100
TLC	5800	4300

PULMONARY VOLUMES

- ☐ **Tidal volume:** [VT] Volume of air inspired or expired in each normal breath; value= 500 ml.
- ☐ Inspiratory reserve volume [IRV]: It is the extra

volume of air, that can be inspired forcefully, beyond the

normal tidal volume value= 3000 ml

PULMONARY VOLUMES

- □ Expiratory reserve volume [ERV]: It is the extra volume of air that can be expired forcefully beyond the normal tidal volume. Value= 1100 ml
 - □ Residual volume [RV]: It is the volume of air still remaining

in the lungs after a forceful expiration. Value= 1200 ml

□Functional Residual Capacity [FRC] This is the amount of air that remains in the lungs at the end of normal expiration. Equals the expiratory reserve volume plus the residual volume. : 2300 milliliters.

Forced Vital Capacity [FVC]: This is the maximum amount of air that a person can expel forcefully from the lungs after taking a deep inspiration. The vital capacity is the sum of the tidal volume + inspiratory reserve volume + expiratory reserve volume = 500 + 3000 + 1100 = 4600

Total lung capacity [TLC]: This is the maximum volume to which the lungs can be expanded with the greatest possible inspiratory effort. It is the sum of all pulmonary volumes. Tidal volume + Inspiratory + Expiratory reserved volume + Residual volume = 500+3000+1100+1200=5800

Forced expiratory volume in one second (FEV_1): This is the volume of air expelled during the first second of a forced expulsion after a maximum inspiration.


This is a very useful volume to test for the diagnosis of obstructive lung diseases, such as emphysema and asthma in which FEV₁ is significantly reduced.

It is 80%-90% of the vital capacity. $FEV_1 = 3680 \text{ ml.}$

Forced Expiratory Ratio (FEV $_1$ /FVC): The forced expiratory ratio is a sensitive index in differentiating obstructive from restrictive pulmonary disease.


It is decreased in obstruction and is normal or increased in restriction (Enright, 1997).

LUNG VOLUMES AND CAPACITIES [SPIROGRAM]



© Elsevier. Guyton & Hall: Textbook of Medical Physiology 11e - www.studentconsult.com

LUNG VOLUMES AND CAPACITIES



MINUTE VENTILATION RATE AND VOLUME

Respiratory rate: Number of breaths taken per minute

Minute ventilation: Total amount of air moved into and out of respiratory system per minute

Minute respiratory volume: MRV: The total amount of new air that moves into the respiratory passages in each minute is called the minute respiratory volume. The normal rate of respiration in one minute is 12 [Approximately 12-18 / min]. The minute respiratory volume is equal to: MRV = tidal volume x respiratory rate = $500 \times 12 = 6000 \text{ ml/minutes}$

MINUTE ALVEOLAR VENTILATION RATE AND VOLUME


Rate of Alveolar Ventilation:


Normal tidal volume of 500 milliliters

Normal dead space of 150 milliliters

Respiratory rate of 12 breaths per minute

MINUTE ALVEOLAR VENTILATION RATE AND VOLUME





THANK YOU

