

MAJOR ARTERIES OF THE BODY

DR. JAMILA ELMEDANY

OBJECTIVES

At the end of the lecture, the student should be able to:

- Define the word 'artery' and understand the general principles of the arterial system.
- Define arterial anastomosis and describe its significance.
- Define end arteries and give examples.
- Describe the aorta and its divisions & list the branches from each part.
- List major arteries and their distribution in the head & neck, thorax, abdomen and upper & lower extremities.
- List main pulse points.

"ARTERIES"


- Arteries carry blood from the heart to the body.
- All arteries, carry oxygenated blood,
 EXCEPT the PULMONARY ARTERY which carry deoxygenated blood to the lungs.

GENERAL PRINCIPLES OF ARTERIES

- The flow of blood depends on the pumping action of the heart.
- Arteries have ELASTIC WALL containing NO VALVES.
- The branches of arteries supplying adjacent areas normally ANASTOMOSE with one another freely providing backup routes for blood to flow if one artery is blocked, e.g. arteries of limbs.
- The arteries whose terminal branches do not anastomose with branches of adjacent arteries are called "END ARTERIES". End arteries are of two types:
 - Anatomic (True) End Artery: When NO anastomosis exists, e.g. artery of the retina.
 - Functional End Artery: When an anastomosis exists but is incapable of providing a sufficient supply of blood, e.g. splenic artery, renal artery.

AORTA

- The largest artery in the body
- Carries oxygenated blood to all parts of the body
- Is divided into 4 parts:
 - 1. Ascending aorta
 - 2. Arch of aorta
 - 3. Descending thoracic aorta
 - 4. Abdominal aorta




ASCENDING AORTA

- Originates from left ventricle.
- Continues as the arch of aorta
- Has three dilatations at its base, called aortic sinuses.


Branches:

Right & Left coronary arteries (supplying heart), arise from aortic sinuses



ARCH OF AORTA


- Continuation of the ascending aorta.
- Leads to descending aorta.
- Located behind the lower part of manubrium sterni and on the left side of trachea.



- Branches:
 - 1. Brachiocephalic trunk.
 - 2. Left common carotid artery.
 - 3. Left subclavian artery.


COMMON CAROTID ARTERY

- Origin:
 - > LEFT from aortic arch.
 - ➤ RIGHT from brachiocephalic trunk.
- Each common carotid divides into two branches:
 - > Internal carotid
 - External carotid




EXTERNAL CAROTID ARTERY

- It divides behind neck of mandible into: Superficial temporal & maxillary arteries
- It supplies:
 - Scalp: Superficial temporal, occipital, & posterior auricular arteries
 - Face: Facial artery
 - Maxilla & mandible: Maxillary artery
 - Tongue: Lingual artery
 - Pharynx: ascending pharyngeal artery
 - Thyroid gland: Superior thyroid artery




INTERNAL CAROTID ARTERY

- Has NO branches in the neck
- Enters the cranial cavity, joins the basilar artery (formed by the union of two vertebral arteries) and forms 'arterial circle of Willis' to supply brain.
- In addition, it supplies
 - **≻Nose**
 - **≻**Scalp
 - > Eye




SUBCLAVIAN ARTERY

- Origin:
 - LEFT: from arch of aorta
 - RIGHT: from brachiocephalic trunk
- It continues, at lateral border of first rib, as axillary artery: artery of upper limb
- Main branches:
 - Vertebral artery: supplies brain & spinal cord
 - Internal thoracic artery: supplies thoracic wall



ARTERIES OF UPPER LIMB




DESCENDING THORACIC AORTA

- It is the continuation of aortic arch
- At the level of the 12th
 thoracic vertebra, it
 passes through the
 diaphragm and continues
 as the abdominal aorta


Branches:

- Pericardial
- Esophageal
- Bronchial
- Posterior intercostal




ABDOMINAL AORTA

- It enters the abdomen through the aortic opening of diaphragm.
- At the level of lower border of L4, it divides into two common Iliac arteries.
- Branches: divided into two groups:
 - Single branches
 - Paired branches



MAIN BRANCHES OF ABDOMINAL AORTA


SINGLE BRANCHES
SUPPLYING
GASTROINTESTINAL
TRACT



BRANCHES OF COMMON ILIAC ARTERY

 EXTERNAL ILIAC ARTERY: continues (at midpoint of inguinal ligament) as femoral artery the main supply for lower limb

 INTERNAL ILIAC ARTERY: supplies pelvis




ARTERIES OF LOWER LIMB

Femoral Artery


- ➤ Is the main arterial supply to lower limb
- ➤ Is the continuation of external iliac artery **behind the midpoint of the inguinal ligament**
- Passes through adductor hiatus and continues as:

Popliteal Artery

- Deeply placed in the popliteal fossa.
- Divides, at lower end of popliteal fossa into:
 - 1-Anterior Tibial Artery2-Posterior Tibial Artery



PULSE POINTS IN HEAD & NECK



PULSE POINTS IN UPPER LIMB



PULSE POINTS IN LOWER LIMB



THANK YOU