# ANATOMY OF KIDNEYS

Dr Jamila EL Medany




# **Objectives**

By the end of this course you should be able to


discuss:

- **COMPONENTS OF THE**
- URINARY SYSTEM.
- × KIDNEY:
- SHAPE & POSITION.
- SURFACE ANATOMY.
- **EXTERNAL FEATURES.**
- HILUM and its CONTENTS.
- × RELATIONS.
- **\* INTERNAL STRUCTURE.**
- × BLOOD SUPPLY
- × LYMPH DRAINAGE...
- NERVE SUPPLY.



# INTRODUCTION


- Every day, each kidney filters liters of fluid from the bloodstream.
- \* Although the lungs and the skin also play roles in excretion, the kidneys bear the major responsibility for eliminating nitrogenous (nitrogen-containing) wastes, toxins, and drugs from the body.



## **KIDNEY**


#### × Functions:

- 1. Excretes most of the waste products of metabolism.
- Controls water & electrolyte balance of the body.
- Maintain acid-base balance of the blood.
- 4. Erythropoietin hormone stimulates bone marrow for RBCs formation.
- 5. Rennin enzyme regulates the blood pressure.
- 6. Converts vitamin D to its active form.




- Kidneys are <u>reddish brown</u> in color.
- Lie behind the peritoneum on the posterior abdominal wall on either side of the vertebral column.
- They are largely under cover of the costal margin.
- The right kidney lies slightly lower than the left due to the large size of the right lobe of the liver.
- The upper border of the right kidney is at the level of 11<sup>th</sup> intercostal space.
- The upper border of the left kidney is at the level of 11th rib

# **KIDNEY**




- With contraction of the diaphragm the kidney moves downward as much as 2.5 cm.
- The lateral border is convex, while the medial border is convex at both ends but its middle pat shows a vertical slit called the hilum.
- The hilum extends into a large cavity called the renal sinus.
- The hilum transmits the renal vein, two branches of renal artery, ureter, and the third branch of renal artery from the front backward (V.A.U.A.)


# KIDNEYS



# **COVERINGS**


- 1- Fibrous capsule: It surrounds the kidney.
- 2- Perirenal (perinephric) fat:
  It covers the fibrous capsule
- X 3- Renal fascia:
- It encloses the kidneys and suprarenal glands.
- **×** 4- Pararenal (paranephric) fat:
- It lies external to the renal fascia, and forms part of the retroperitoneal fat.
- N.B. The last 3 structures support the kidney in position.






- Each kidney has an outer cortex and an inner medulla.
- Medulla is composed of about 12 renal pyramids.
- The base of each pyramid is directed toward the cortex & its apex (the renal papilla) is projecting medially.
- The cortex extends into the medulla between adjacent pyramids as the renal column.

### RENAL STRUCTURE



#### RENAL STRUCTURE


- Extending from the bases of the renal pyramids into the cortex are striations known as medullary rays.
- The renal sinus within the hilum, contains the upper expanded end of the ureter, the renal pelvis.
- Renal pelvis divides into two or three major calyces, which divides into two or three minor calyces.



- Twelfth rib,
- Costodiaphragmatic pleural recess.


×

# POSTERIOR RELATIONS




#### 4Muscles:

Diaphragm
Psoas major m.,
Quadratus
lamborum m.,
Transversus
abdominis m.




## **Posterior Relation**



#### 3 Nerves:


Subcostal nerve (T12), Iliohypogastric (L1) nerve. Ilioinguinal (L1) nerve



- 1- Right suprarenal gland
- 2- Liver,
- 3- Second part of the duodenum
- 4- Right colic flexure
- 5- Coils of small intestine





N



#### **Left Kidney**:


- 1- Left suprarenal gland,
- 2- Stomach,
- 3-Spleen,
- 4- Pancreas,
- 5- Left colic flexure,
- 6- Descending colon
- 7- Coils of jejunum






#### **BLOOD SUPPLY**

- The renal artery arises from the aorta at the level of the second lumbar vertebra.
- Each renal artery divides into five segmental arteries that enter the hilum of the kidney, four in front and one behind the renal pelvis
- They are distributed to different segments of the kidney.
- Lobar artery arises from each segmental artery, one for each renal pyramid.





### **BLOOD SUPPLY**

- Each lobar artery gives off 2or 3 interlobar arteries.
- The interlobar arteries run toward the cortex on each side of the renal pyramid.
- Interlobar arteries give off the arcuate arteries at the junction of the cortex and medulla
- The arcuate arteries give off several interlobular arteries



Interlobular artery gives off afferent glomerular arterioles.






- Each nephron is associated with two capillary beds:
  - 1. The glomerulus and
  - 2. The peritubular capillary bed.
- The glomerulus is both fed and drained by arterioles.
  - + The afferent arteriole, which arises from an interlobular artery, is the "feeder vessel," and
  - the efferent arteriole receives blood that has passed through the glomerulus.


## **Venous Drainage**

- Renal vein emerges from the hilum in front of the renal artery and drains into the IVC.
- The left renal vein is longer than the right renal vein.
- The left renal vein receives the left gonadal & the left suprarenal veins.



# LYMPH


- x Lymph Drainage:
- Lateral aortic lymph nodes around the origin of the renal artery.



#### NERVE SUPPLY

## **Nerve Supply**

- Renal sympathetic plexus.
- The afferent fibers that travel through the renal plexus enter the spinal cord in the 10<sup>th</sup>, 11<sup>th</sup>, and 12<sup>th</sup> thoracic nerves.






Figure 27.4