

# ARM, CUBITAL FOSSA & ELBOW JOINT



*Drs. Sanaa Alshaarawy & Khaleel Alyahya*

visuals:unlimited


# OBJECTIVES

## ❖ At the end of the lecture, students should:

- Describe the attachments, actions and innervations of:
  - ✓ Biceps brachii
  - ✓ Coracobrachialis
  - ✓ Brachialis
  - ✓ Triceps brachii
- Define the **boundaries of the cubital fossa** and enumerate **its contents**.
- Demonstrate the following features of the elbow joint:
  - ✓ Articulating bones
  - ✓ Capsule
  - ✓ Lateral & medial collateral ligaments
  - ✓ Synovial membrane
- **Demonstrate the movements : flexion and extension** of the elbow.
- List the main muscles producing the above movements.


# The ARM

Shoulder



Elbow

**Arm**



**Posterior view**

**Anterior view**

**Posterior view**


**Anterior view**

**Humerus**



# The ARM

❖ The lateral and medial intermuscular septa divide the arm into two compartments:

- Anterior
- Posterior




# Anterior Fascial Compartment Contents




- **Muscles:** Biceps brachii, Coracobrachialis & Brachialis.
- **Blood Vessels:** Brachial artery & Basilic vein.
- **Nerves :** Musculocutaneous, Median, Radial & Ulnar.


# Muscles of the Anterior Compartment



Biceps brachii →




Coracobrachialis →



Brachialis →

# Biceps Brachii

- ❖ **Origin:** Two heads:
  - **Long Head (lateral head)** from **supraglenoid tubercle** of **scapula** (intracapsular)
  - **Short Head** from the tip of **coracoid process** of scapula.
- ❖ The two heads join in the middle of the arm



# Biceps Brachii

## ❖ Insertion:


- into the posterior part of the **radial tuberosity**.
- into the **deep fascia of the medial aspect of forearm through bicipital aponeurosis**.

## ❖ Nerve supply:

- **Musculocutaneous**

## ❖ Action:

- **Strong supinator** of the forearm
  - ✓ used in screwing.
- **Powerful flexor** of elbow
- **Weak flexor** of shoulder





# Coracobrachialis

## ❖ Origin:

➤ Tip of the **coracoid process of scapula** (with short head of biceps brachii ).

## ❖ Insertion:


➤ **Middle** of the medial side of the **shaft of the humerus**

## ❖ Nerve supply:

➤ **Musculocutaneous**

## ❖ Action:

➤ **Flexor** & a weak adductor of the **arm**.



# Brachialis

## ❖ Origin:

➤ Front of the **lower half** of humerus

## ❖ Insertion:


➤ Anterior surface of **coronoid process of ulna**

## ❖ Nerve supply:


➤ **Musculocutaneous** (medial part) & **Radial** (lateral part).

## ❖ Action:

➤ **Strong flexor** of the **forearm**




# Posterior Fascial Compartment Contents



- **Muscles:** Triceps
- **Vessels:** Profunda brachii & Ulnar collateral arteries
- **Nerves:** Radial & Ulnar

# Muscles of the Posterior Compartment


## Triceps brachii



# Triceps

**Origin:** Three heads:

- **Long Head** from **infraglenoid tubercle** of the scapula
- **Lateral Head** from the upper half of the **posterior surface** of the shaft of **humerus above** the **spiral groove**
- **Medial Head** from the lower half of the **posterior surface** of the shaft of **humerus below** the **spiral groove**



# Triceps

## ❖ Insertion:


➤ **Common tendon** inserted into the upper surface of the **olecranon process of ulna**

## ❖ Nerve supply:

➤ **Radial nerve**


## ❖ Action:

➤ **Strong extensor** of the **elbow joint**



# Cubital Fossa

is a **triangular depression** that **lies in front of the elbow**



# Boundaries of Cubital Fossa

## ❖ Base:

- Line drawn through the **two epicondyles of humerus**

## ❖ Laterally:

- Brachioradialis

## ❖ Medially:


- Pronator teres

## ❖ Roof:

- Skin, superficial & deep fascia and bicipital aponeurosis

## ❖ Floor:

- **Brachialis** medially and **supinator** laterally.





# Contents of Cubital Fossa

(From medial to lateral side)

3. Biceps brachii tendon


4. Deep branch of radial nerve

1. Median nerve

2. Brachial artery divides into radial & ulnar arteries.

Ulnar artery

Radial artery





# ELBOW Joint

## Uniaxial, Synovial Hinge joint

### Articulation

- **Trochlea** and **capitulum** of the **humerus** above
- **Trochlear notch** of **ulna** and the **head** of **radius** below

❖ The articular surfaces are covered with **articular (hyaline) cartilage**.



# Capsule



## Anteriorly: attached

### ➤ Above

✓ To the **humerus** along the **upper margins** of the **coronoid** and **radial fossa** and to the **front** of the **medial** and **lateral epicondyles**.

### ➤ Below

✓ To the **margin** of the **coronoid process** of the **ulna** and to the **anular ligament**, which surrounds the **head** of the **radius**.



# Capsule

**Posteriorly:** attached

➤ **Above**

✓ To the **margins** of the **olecranon fossa** of the **humerus**.

➤ **Below**

✓ To the **upper margin** and **sides** of the **olecranon process** of the **ulna** and to the **anular ligament**.



# Ligaments

## Lateral (radial collateral) ligament



❖ Triangular in shape:

❖ Apex

➤ Attached to the **lateral epicondyle of humerus**


❖ Base

➤ Attached to the upper margin of **annular ligament**.



# Ligaments

## Medial (ulnar collateral) ligament



### ❖ **Anterior strong cord-like band:**

- Between **medial epicondyle** and the **coronoid process** of ulna

### ❖ **Posterior weaker fan-like band:**

- Between **medial epicondyle** and the **olecranon process** of ulna



### ❖ **Transverse band:**

- Passes **between** the **anterior** and **posterior** bands

# Synovial Membrane

❖ This lines the inner surface of the capsule and covers fatty pads in the floors of the coronoid, radial, and olecranon fossa.

❖ Is continuous below with synovial membrane of the superior radioulnar joint



# Relations

## ❖ Anterior:

- Brachialis, tendon of biceps, **median nerve**, **brachial artery**

## ❖ Posterior:


- Triceps muscle, small bursa intervening

## ❖ Lateral:

- Common extensor tendon (attached to lateral epicondyle of the humerus) & supinator

## ❖ Medial:

- Ulnar nerve
  - Considered the **largest unprotected nerve** by muscle or bone.



## Bursae around the elbow joint:

- Subcutaneous olecranon bursa
- Subtendinous olecranon bursa



# Movements

## ❖ Flexion


- Is limited by the anterior surfaces of the forearm and arm coming into contact.

## ❖ Extension

- Is limited by the tension of the anterior ligament (medially) and the brachialis muscle.

## ❖ The joint is supplied by branches from the:

- Median
- Ulnar
- Musculocutaneous
- Radial nerves



# Carrying Angle

## ❖ Angle

➤ **Between** the **long axis** of the **extended forearm** and the **long axis** of the **arm**

## ❖ Opens

➤ Laterally

## ❖ About

➤ 170 degrees in **male** and 167 degrees in **females**


## ❖ Disappears

➤ When the **elbow joint** is **flexed**

## ❖ Permits



➤ The forearms to **clear the hips** in **swinging movements** during **walking**,

➤ and is important when **carrying objects**



# Articulations and applied anatomy

- ❖ The elbow joint is **stable** because of the:
  - Wrench-shaped articular surface of the olecranon and the pulley-shaped trochlea of humerus
  - Strong medial and lateral ligaments.
- ❖ Elbow dislocations are common & most are posterior.
  - Posterior dislocation usually follows falling on the outstretched hand.
  - Posterior dislocations of the joint are common in children because the parts of the bones that stabilize the joint are incompletely developed.





# ELBOW Joint

❖ **Avulsion of the epiphysis** of the **medial epicondyle** is also **common in childhood** because the **medial ligament** is **much stronger** than the **bond of union** between the **epiphysis** and the **diaphysis**.

❖ They are usually a **result from** an **avulsion (pull off) injury** caused by a **valgus stress** at the elbow and **contraction** of the flexor muscles as in :

- ✓ fall on an outstretched hand with the elbow in full extension
- ✓ posterior elbow dislocation
- ✓ direct blow



**THANK YOU**