

By:

**Prof. Ahmed Fathalla** 

Dr.Sanaa Alshaarawy

# **OBJECTIVES**

# At the end of the lecture, students should be able to:

- Distinguish between the different groups of back muscles.
- Compare between groups of back muscles as regard their <u>nerve supply</u> and <u>action</u>.
- List the back muscles of each group.
- Describe the <u>attachments</u> of each muscle of the superficial group, as well as, its <u>nerve supply</u> and action.
- Describe the triangles of back and their clinical significance.

# **BACK MUSCLES**

They are organized into 3 groups:

**Deep group:** attached to & involved in the movement of vertebral column & head.



- ☐ Develop in the back
- ☐ Supplied by posterior rami of spinal nerves

Superficial group: attached to & involved in the movements of upper limb.

Intermediate group: attached to ribs & serve respiratory functions.




- ☐ Not developed in the back.
- ☐ Supplied by anterior rami of spinal nerves.

# **DEEP GROUP OF BACK MUSCLES**


- ☐ They extend from sacrum to skull.
- They include extensors and rotators of head & vertebral column. So, It is a set of muscles that straighten and rotate the back.
- ☐ Their tone is <u>responsible for</u> maintenance of normal curvature of vertebral column.
- □ The largest muscle of this group is "erector spinae" which is formed of 3 vertical columns (from lateral to medial: iliocostalis, longissimus & spinalis.

(Note the length and attachment of the muscle fibers)



## INTERMEDIATE GROUP OF BACK MUSCLES


- ☐ It is separated from the deep group by <u>thoracolumbar</u> <u>fascia</u>.
- ☐ It includes:
  - Serratus posterior superior (rib elevator).
  - Serratus posterior inferior (rib depressor).
- Nerve supply: anterior rami of thoracic spinal nerves.
- Serratus posterior superior contributes in <u>deep inspiration</u>.
- Serratus posterior inferior contributes in <u>forced expiration</u>.



## SUPRERFICIAL GROUP OF BACK MUSCLES


#### **Includes two sets of muscles:**

- Muscles connecting vertebral column to scapula (move scapula through shoulder girdle joints) & include:
  - 1. Trapezius.
  - 2. Levator scapulae.
  - 3. Rhomboid minor.
  - 4. Rhomboid major.
- Muscle connecting vertebral column to humerus (move humerus through shoulder joint), & include:
  - Latissimus dorsi.



## **TRAPEZIUS**


- Origin: Spines of cervical & thoracic vertebrae
- ☐ Insertion: lateral 1/3 of clavicle + acromion & spine of scapula.
- Action: rotation of scapula during abduction of humerus <u>above</u> horizontal.
  - 1. Upper fibers: elevate scapula.
  - 2. Middle fibers: retract scapula
  - Lower fibers: depress scapula.
- Nerve supply: Spinal part of accessory (11<sup>th</sup> cranial) nerve.



# LEVATOR SCAPULAE RHOMBOID MINOR & MAJOR


#### ☐ Origin:


- 1. Levator scapulae: cervical transverse processes
- 2. Rhomboid minor & major: thoracic spines
- Insertion: medial border of scapula.
- Nerve supply: dorsal scapularnerve. From root of brachial plexux (C5)
- ☐ Actions:
- 1. Levator scapulae: elevates scapula.
- Rhomboid minor & major: retract scapula.



# **LATISSIMUS DORSI**

- Origin: spines of thoracic & lumbar vertebrae.
- Insertion: bicipital groove of humerus.
- Nerve supply: thoracodorsal nerve. (C6,7,8) From posterior cord of brachial plexus
- Actions: extension, adduction & medial rotation of humerus (arm, shoulder joint).
- ☐ It is called the climbing muscle.





#### ☐ Auscultatory Triangle:



- **Boundaries:** latissimus dorsi, trapezius, and medial border of scapula.
- Site where breath sounds are most easily heard with a stethoscope.


#### **□**Lumbar Triangle:

(Triangle of Petit)



- **Boundaries:** latissimus dorsi, posterior border of external oblique muscle of the abdomen, and iliac crest.
- Site of an abdominal hernia; or where pus may emerge from the abdominal wall in extraabdominal lumbar abscess.

### **MUSCULAR TRIANGLES OF BACK**





### **SUMMARY**

#### **□** BACK MUSCLES:

- <u>Deep group</u>: attached to & moves vertebral column, supplied by posterior rami of spinal nerves.
- 2. <u>Intermediate group</u>: attached to & moves ribs, supplied by anterior rami of spinal nerves.
- 3. Superficial group:
  - Origin: vertebral column.
  - Insertion: scapula (EXCEPT latissimus dorsi: humerus).
  - <u>Action</u>: moves scapula (<u>EXCEPT</u> latissimus dorsi: moves humerus).
  - Nerve supply: anterior rami of spinal nerves through brachial plexus (EXCEPT trapezius: 11th cranial nerve).

# **QUESTION 1**

- □Which one of the following muscles of back that <u>rotates the humerus medially</u>?
- 1. Trapezius.
- 2. Latissimus dorsi.



- 3. Rhomboid major.
- 4. Serratus posterior superior.

# **QUESTION 2**

- □ Regarding <u>back muscles</u>, which one of the following statements is <u>correct</u>?
- 1. All back muscles are supplied by posterior rami of spinal nerves.
- 2. Muscles of intermediate group move vertebral column.
- 3. Muscles of superficial group are involved in upper limb movements.
- 4. Muscles of deep group serve respiratory functions.