

# ANATOMY OF KIDNEYS

Dr Jamila EL  
Medany

B

Dilated calyces

Obstructed ureter

Left kidney emptied



# Objectives

✘ **By the end of this course you should be able to discuss :**

✘ **COMPONENTS OF THE URINARY SYSTEM.**

✘ ***KIDNEY:***

✘ **SHAPE & POSITION.**

✘ **SURFACE ANATOMY.**

✘ **EXTERNAL FEATURES.**

✘ **HILUM and its CONTENTS.**


✘ **RELATIONS.**

✘ ***INTERNAL STRUCTURE.***

✘ ***BLOOD SUPPLY***

✘ ***LYMPH DRAINAGE..***


✘ ***NERVE SUPPLY.***





# INTRODUCTION

- ✘ Every day, each kidney filters liters of fluid from the **bloodstream**.
- ✘ Although the **lungs** and the **skin** also play roles in excretion, the kidneys bear the major responsibility for eliminating nitrogenous (nitrogen-containing) wastes, toxins, and drugs from the body.






# KIDNEY


## × Functions:

1. **Excretes** most of the waste products of metabolism.
2. **Controls** water & electrolyte balance of the body.
3. **Maintain** acid-base balance of the blood.
4. **Erythropoietin** hormone stimulates bone marrow for RBCs formation.
5. **Rennin** enzyme regulates the blood pressure.
6. **Converts** vitamin D to its active form.



# KIDNEY


- ✗ Kidneys are reddish brown in color.
- ✗ Lie **behind** the peritoneum on the posterior abdominal wall on either side of the **vertebral column**.
- ✗ They are largely under cover of the costal margin.
- ✗ The right kidney lies slightly lower than the left due to the large size of the right lobe of the liver.
- ✗ The upper border of the right kidney is at the level of **11<sup>th</sup> intercostal space**.
- ✗ The upper border of the left kidney is at the level of **11<sup>th</sup> rib**





# KIDNEYS

- ✘ With contraction of the diaphragm the kidney moves downward as much as 2.5 cm.
- ✘ The lateral border is convex, while the medial border is convex at both ends but its middle part shows a vertical slit called the hilum.
- ✘ The hilum extends into a large cavity called the **renal sinus**.
- ✘ The hilum transmits the renal **vein**, two branches of renal **artery**, ureter, and the third branch of renal **artery** from the front backward (**V.A.U.A.**)








# RENAL STRUCTURE


- ✘ Each kidney has an outer **cortex** and an inner **medulla**.
- ✘ Medulla is composed of about **12 renal pyramids**.
- ✘ The base of each pyramid is directed toward the cortex & its apex (the renal papilla) is projecting medially.
- ✘ The cortex extends into the medulla between adjacent pyramids as the **renal column**.





# RENAL STRUCTURE


- ✘ Extending from the bases of the renal pyramids into the cortex are striations known as medullary rays.
- ✘ The renal sinus within the hilum, contains the upper expanded end of the ureter, the renal pelvis.
- ✘ Renal pelvis divides into two or three **major calyces**, which divides into two or three **minor calyces**.



- ✗ Twelfth rib,
- ✗ Costodiaphragmatic pleural recess.

✗


## POSTERIOR RELATIONS






## 4Muscles:

Diaphragm  
Psoas major m.,  
Quadratus  
lamborum m.,  
Transversus  
abdominis m.




# Posterior Relation




## 3 Nerves:

Subcostal nerve (T12),  
Iliohypogastric (L1)  
nerve.  
Ilioinguinal (L1) nerve





**A  
N  
T  
E  
R  
I  
O  
R  
  
R  
E  
L  
A  
T  
I  
O  
N**





Right Kidney :

- **1**- Right suprarenal gland
- **2**- Liver,
- **3**- Second part of the duodenum
- **4**- Right colic flexure
- **5**- Coils of small intestine

Left Kidney :


- 1**- Left suprarenal gland,
- 2**- Stomach,
- 3**- Spleen,
- 4**- Pancreas,
- 5**- Left colic flexure,
- 6**- Descending colon
- 7**- Coils of jejunum





# BLOOD SUPPLY


- ✗ The renal artery arises from the aorta at the level of the **second** lumbar vertebra.
- ✗ Each renal artery divides into **five segmental** arteries that enter the hilum of the kidney, four in front and one behind the renal pelvis
- ✗ They are distributed to different segments of the kidney.
- ✗ **Lobar artery** arises from each segmental artery, one for each renal pyramid.






# BLOOD SUPPLY


- ✘ Each lobar artery gives off 2 or **3 interlobar arteries**.
- ✘ The **interlobar arteries** run toward the cortex on each side of the renal pyramid.
- ✘ **Interlobar arteries** give off the **arcuate arteries** at the junction of the cortex and medulla
- ✘ The arcuate arteries give off several **interlobular arteries**





✘ Interlobular artery gives off afferent glomerular arterioles .






- ✘ Each **nephron** is associated with **two** capillary beds:
  1. The **glomerulus** and
  2. The **peritubular capillary bed**.
- ✘ The glomerulus is both fed and drained by **arterioles**.
  - + The **afferent arteriole**, which arises from an **interlobular artery**, is the "feeder vessel," and
  - + the **efferent arteriole** receives blood that has passed through the glomerulus.



# Venous Drainage


- ✘ Renal vein emerges from the hilum in front of the renal artery and drains into the IVC.
- ✘ The left renal vein is longer than the right renal vein.
- ✘ The left renal vein receives the left gonadal & the left suprarenal veins.





# LYMPH

- ✘ **Lymph Drainage:**
- ✘ Lateral aortic lymph nodes around the origin of the renal artery.






# NERVE SUPPLY

## Nerve Supply

- ✘ Renal sympathetic plexus.
- ✘ The afferent fibers that travel through the renal plexus enter the spinal cord in the 10<sup>th</sup>, 11<sup>th</sup>, and 12<sup>th</sup> thoracic nerves.






Figure 27.4