
CARDIOVASCULAR SYSTEM

Dr JAMILA EL MEDANY

Objectives


At the end of the lecture, students should be able to:

- Identify the components of the cardiovascular system.
- Describe the Heart as regards (position, chambers and valves).
- Describe the Blood vessels (Arteries, Veins and Capillaries).
- Describe the Portal System.
- Describe the Sinusoids.
- Describe the Functional and Anatomical end arteries.
- Describe the Arteriovenous Anastomosis.



- CVS is composed of :
- Pump : <u>Heart.</u>
- Network of Tubes: <u>Blood</u>
 <u>Vessels.</u>

FUNCTIONS of CVS



It is a transportation system which uses the blood as the transport vehicle. It carries oxygen, nutrients, cell wastes, hormones and many other substances vital for body homeostasis. • The force to move the blood around the body is provided by the beating *Heart*.




Is a hollow, cone shaped muscular pump that keeps circulation going on.
It is the size of hand's fist of the same person.
It has:


- Apex,
- Base.

•Two Surfaces:

Diaphragmatic & Sternocostal.

•Borders: Right, Left, Inferior.





Location of the Heart


It lies in a centrally located partition in the thoracic cavity Known as *the Middle Mediastinum* between the two pleural sacs.

2/3 of the heart lies to the left of median plane.

Enclosed by a double sac of serous membrane (*Pericardium*).


Anterior view of the chest wall of a man showing the locations of various structures related to the TIV/V level.

Chambers of the Heart



• <u>ATRIA</u> :


- Two (Right & Left)
- Superior in position.
- They are the receiving chambers.
- They have thin walls.
- The upper part of each atrium is the Auricle.
- The <u>Right Atrium is the</u> <u>first chamber that</u> receives the venous blood entering to the heart.
- <u>Left Atrium</u> receives arterial blood coming from the lungs.



• **Ventricles** Inferior chambers.

- Have thick walls.
- They are the discharging
- chambers (actual pumps).
- Their contraction propels blood out of the heart into the circulation.
- The left ventricle forms the apex of the heart.

VALVES OF THE HEART




- The heart has Four Valves:
- Two Atrioventricular:

between atria & ventricles.

- They allow the blood to flow in one direction from the atria to the ventricles.
- Right AVV (Tricuspid)
- Left AVV: Bicuspid


• (Mitral)



Two Semilunar
 (Pulmonary & Aortic)
 VAVES

Found between the right and left ventricles and the great arteries leaving the heart (Aorta& Pulmonary trunk respectively).
They allow the flow of blood from the ventricles to these arteries.






• Thick walled, do not have valves. • The smallest arteries are arterioles.

Veins


Thin walled.
 Many of them possess valves.
 The smallest veins are venules.

Capillaries.




ARTERIES

 They transport blood from the heart and distribute it to the various tissues of the body through their branches.








Anatomic End arteries.
 Vessels whose terminal branches do not anastomose with branches of arteries
 supplying adjacent areas (Central artery of Retina).


 Functional End arteries:
 The terminal branches do anastomose with those of adjacent arteries but the anastomosis is insufficient to keep the tissue alive if one of the arteries is occluded.






They transport blood back to the heart. The smaller venules (Tributries) unite to form larger veins which commonly join with one another to form Venous Plexuses.

DEEP VEINS (VENAE COMITANTES)




 They are two veins that accompany medium sized deep arteries



CAPILLARIES


Microscopic vessels in the form of a network. They connect the **Arterioles** to the Venules.






- Direct connections between the arteries and veins without the intervention of capillaries.
- <u>Found in:</u>
- Tips of the Fingers and Toes.

BLOOD CIRCULATIONS




• <u>CARDIOPULMONARY:</u>

- Takes place between the heart and lungs.
- The Right side of the heart (Right atrium & ventricle) receive oxygen poor blood
- This blood is pumped from the heart through the Pulmonary Trunk to the lungs.
- Gas exchange takes place in the lungs.
- It returned to the left side of the heart (left atrium & ventricle) through 4 Pulmonary Veins



• <u>Systemic:</u>


- Takes place between the heart and each cell of the body.
- Blood is pumped from the left ventricle to all body tissues through the Aorta and its systemic arteries which ultimately terminates in capillaries
- Oxygen poor blood circulates from the tissues to the capillaries, venules & veins back to the right atrium through the Systemic Veins.








- It is a system of vessels interposed between <u>Two Capillary Beds</u>.
- It takes place in the <u>liver</u> and some endocrine glands (<u>Pituitary gland</u>).
- Veins leaving the gastrointestinal tract do not go direct to the heart.
- They pass to the *Portal Vein*.
- This vein enters the liver and breaks up into veins of diminishing size which ultimately join capillary like vessels (*Sinusoids*) :first capillary bed.
- Venous blood enter 2nd capillary bed then to smaller veins that leave the liver through hepatic veins.





- Thin walled blood vessels like capillaries.
- They are wider with irregular cross diameter.
- They are found in:
- Liver.

SHUSODS

- Spleen.
- Bone marrow.
- Pituitary gland.

SUMMARY

- The cardiovascular system is a transporting system.
- It is composed of the heart and blood vessels.
- The heart is cone shaped, covered by pericardium and composed of four chambers.
- The blood vessels are the arteries, veins and capillaries.
- Arteries transport the blood from the heart.
- The terminal branches of the arteries can anastomose with each other freely or be anatomic or functional end arteries.
- Veins transport blood back to the heart.
- Capillaries connect the arteries to the veins.
- Sinusoids are special type of capillaries.
- The portal system is composed of two sets of capillaries.
- It is found in the liver & pituitary gland

