



MED439



جامعة
الملك سعود
King Saud University



Vertebrae

Musculoskeletal Block



Anatomy Practical team - Med 439


Notes

the information in this file is based on the things that was given during practical sessions along with doctors' notes

To ensure your grade on each question :

- 1-Make sure your SPELLING is correct
- 2-Make sure you write the FULL name or location of the object precisely

Typical vertebrae



Articular process
Superior
"also there is inferior"

Pedicle

Lamina

Spinous process
"Posterior"

Transverse process
"Lateral"

Articular facet
Superior
"Also there is inferior"

Vertebral
foramen

Articular
process and
transverse
process
contain a
facet


Body "centrum"
Anterior

Atypical Cervical Vertebrae

Atlas C1

Ring shaped vertebrae

| Special features: | Common features: | Joint: |
|--|---|--|
| <ul style="list-style-type: none"> • No body • No spinous process • Transverse foramen • Kidney shaped articular facet (superior surface) • Circular or oval shaped facet (inferior surface) • Two lateral masses. | <ul style="list-style-type: none"> • vertebral foramen • Transverse process | <p>Superior Articular surface receives the occipital condyle of the skull to form the Atlanto-occipital joint (nod yes)</p> |




Atypical Cervical Vertebrae

Axis C2

| Special features: | Common features: | Joint: |
|---|---|---|
| <ul style="list-style-type: none">● Odontoid process or dens "it's the body of axis"● Transverse foramen | <ul style="list-style-type: none">● Superior & inferior articular facet● Vertebral foramen● Spinous process● Transverse process. | The inferior articular facets of the Atlas (C1) articulate with the superior articular facets of the Axis (C2) to form atlanto-axial joint . |

It has all the features of typical cervical except the body replaced by odontoid process



Atypical Cervical Vertebrae

Prominens C7

Special features:

- Spinous process (Long, Not bifid, not downward)
- Veins and nerves pass through transverse foramen

Common features:

- Superior & Inferior articular facet
- Vertebral foramen (triangular, large)
- Transverse process

Spinous process
Long - not bifid

Vertebral foramen

Superior articular facet

Transverse foramen

Transverse process



Typical Cervical Vertebrae

C3 - C6

Special features:

- Vessels pass through transverse foramen
- Small body
- Spinous processes are bifid, short and fork-like

Common features:

- Transverse process
- Vertebral foramen

Spinous process
Bifid- short-
fork like


Vertebral
foramen
triangular

Body
Small


Superior articular
facet

Transverse foramen

Transverse process




Thoracic vertebrae



| thoracic vertebrae (T1 To T11) | The last thoracic vertebrae T12 |
|---|---|
| <p>- The inferior articular surfaces are facing anteriorly towards the inferior part of the spinous process</p> | <p>-The inferior articular surfaces are facing laterally to articulate with the L1.</p> <p>Comparison between the inferior articular surfaces of the last thoracic vertebrae T12 and the other thoracic vertebrae (T1 to T11):</p>  |
| <p>-The body is medium sized, somewhat heart-shaped and has two costal Vertebrae demifacets on each sides (superior, inferior) which receive the heads of the ribs.</p> <p>- also the transverse processes have facets that articulate with the tubercles of the ribs.</p> <p>- spinous process (long hooks sharply downward)</p> | |
| <p>Vertebral foramen (circular), pedicle, lamina.</p> | |

Special features


common features



Typical & atypical lumbar

| Typical lumbar L1,L2,L3,L4 | Atypical lumbar L5 |
|---|--|
| <p>- The inferior articular surfaces are facing laterally towards the transverse processes.</p> | <p>-The inferior articular surfaces are facing anteriorly to articulate with the sacrum. - Spinous process is short (shorter than the typical)</p> |
| <p>- Massive block like body (kidney shaped)  </p> <p>- spinous process (Short hatchet shaped)</p> <p>- In all lumbar vertebrae the superior articular surfaces are facing medially towards the spinous process.</p> | |
| <p>Vertebral foramen (triangular), pedicle, transverse process, lamina.</p> | |

Comparison between the inferior articular surfaces of the typical and atypical lumbar vertebrae:




common features

Special features

Coccyx Features

The coccyx is formed from the fusion of **4** tiny, irregularly shaped vertebrae.

Sacrum & coccyx







Sacrum Features

- The sacrum is formed by fusion of 5 vertebrae.
 - The **superior articular surfaces** are facing **posteriorly** to articulate with L5.
 - The sacrum articulates inferiorly with the coccyx forming the **sacrococcygeal joint**.
 - The wing like **ala** articulates laterally with the hip bones, forming the **sacroiliac joints**.
 - The sacrum has two surfaces:
 - 1- Anterior -pelvic- surface (Concave, smooth).
 - 2- Posterior -dorsal- surface (Convex).
 - The sacral canal opens inferiorly where it is called **sacral hiatus**.
-
- **Median** crest → fused spinous process.
 - **Medial** crest → fused articular process.
 - **Lateral** crest → fused transverse process.

Ligaments of the spine

- The **anterior** and **posterior longitudinal ligaments** run as continuous bands along the anterior & posterior surfaces of the **vertebral bodies**.
- **Supraspinous ligament** (connects two **spine tips**).
- **Interspinous ligament** (connects two **spines**).
- **ligamentum flavum** (connects two **laminae**).
- **Intertransverse ligament** (connects two **transverse processes**).
- **Ligamentum Nuchae**: in the cervical region, the **Supraspinous** and **Interspinous** ligaments are thickened to form the strong **ligamentum nuchae**.
- It extends from the external **occipital protuberance** of the skull to the spine of the **seventh cervical vertebra**.



SUMMARY

- When you see the transverse foramen in a vertebra, that would mean it is from the Cervical vertebrae. Then check if :
 - There is no body then it is "Atlas C1"
 - There is an odontoid process it is "Axis C2".
 - There is a long non-bifid spinous process it is "Prominens C7", otherwise it is typical (C3-C6).
- * vessels and nerves pass through the transverse foramen of cervical vertebrae except at C7 where only veins and nerves pass*.
- When you see a long downward pointing non-bifid spinous with no transverse foramen, it is "thoracic".
- If the body big and the spinous process is short hatchet-shaped, it is "lumbar".



Click or Scan

Identify the structures and their features




Don't stop until you are proud.

Team Members:

- Duaa Alhumoudi
 - Mona Alomiriny
 - Rania Almutiri
 - Taif Almotiri
 - **Nourah Alklaib**
 - Arwa Alqahtani
 - Norah Alasheikh
 - Sara Alharbi
 - Najd Alzahrani
- **Khalid Alosaimii**
 - Mishal Althunayan
 - Omar alhalabi
 - Abdulaziz Alomar
 - Hadi Alhemsii
 - Nasser Alohalii

Team Leaders:

- Renad Alhomaidi
- Bassam Alasmari



"This exhibition taught my students more than I could ever teach them with mere words."