
# CARDIOWASCULAR SYSTEM

Dr JAMILA EL MEDANY


## **Objectives**

- At the end of the lecture, students should be able to:
- Identify the components of the cardiovascular system.
- Describe the Heart as regards (position, chambers and valves).
- Describe the Blood vessels (Arteries, Veins and Capillaries).
- Describe the Portal System.
- Describe the Sinusoids.
- Describe the Functional and Anatomical end arteries.
- Describe the Arteriovenous Anastomosis.



- CVS is composed of :
- Pump : <u>Heart.</u>
- Network of Tubes: <u>Blood</u> Vessels.

### **FUNCTIONS of CVS**




- It is a transportation system which uses the blood as the transport vehicle.
- It carries oxygen, nutrients, cell wastes, hormones and many other substances vital for body homeostasis.
- The force to move the blood around the body is provided by the beating Heart.


- •Is a hollow, cone shaped muscular pump that keeps circulation going on.
- •It is the size of hand's fist of the same person.
- •It has:
- Apex,
- Base.
- •Two Surfaces:


Diaphragmatic & Sternocostal.

•Borders: Right, Left, Inferior.










## Location of the Heart

It lies in a centrally located partition in the thoracic cavity Known as *the Middle Mediastinum* between the two pleural sacs.

2/3 of the heart lies to the left of median plane.


Enclosed by a double sac of serous membrane (*Pericardium*).

## **Chambers of the Heart**




## • ATRIA:

- Two (Right & Left)
- Superior in position.
- They are the receiving chambers.
- They have thin walls.
- The upper part of each atrium is the Auricle.
- The <u>Right Atrium</u> is the first chamber that receives the venous blood entering to the heart.
- <u>Left Atrium</u> receives arterial blood coming from the lungs.



- **Ventricles** Inferior chambers.
- Have thick walls.
- They are the discharging
- chambers (actual pumps).
- Their contraction propels blood out of the heart into the circulation.
- The left ventricle forms the apex of the heart.


## VALVES OF THE HEART




- The heart has Four Valves:
- Two Atrioventricular:

## between atria & ventricles.


- They allow the blood to flow in one direction from the atria to the ventricles.
- Right AVV (Tricuspid)
- Left AVV: Bicuspid
- (Mitral)





- Two Semilunar (Pulmonary & Aortic) VAVES
- Found between the right and left ventricles and the great arteries leaving the heart (Aorta& Pulmonary trunk respectively).
- They allow the flow of blood from the ventricles to these arteries.

## **BLOOD VESSELS**




## Arterles

- Thick walled, do not have valves.
- The smallest arteries are arterioles.

### **Veins**

- Thin walled.
- Many of them possess valves.
- The smallest veins are venules.


Capillaries.



### ARTERIES


• They transport blood from the heart and distribute it to the various tissues of the body through their branches.

# ARTERIAL ANASTOMOSIS



- It is the joining of terminal branches of the arteries.
- (Intestinal arteries)

## **END ARTERIES**




#### Anatomic End arteries.

- Vessels whose terminal branches do not anastomose with branches of arteries
- supplying adjacent areas (Central artery of Retina).

#### Functional End arteries:


The terminal branches do anastomose with those of adjacent arteries but the anastomosis is insufficient to keep the tissue alive if one of the arteries is occluded.



## 1/4/1/5


- They transport blood back to the heart.
- The smaller venules
  (Tributries) unite to
  form larger veins
  which commonly join
  with one another to
  form Venous
  Plexuses.

## DEEP VEINS (VENAE COMITANTES)




 They are two veins that accompany medium sized deep arteries

# **CAPILLARIES**




- Microscopic vessels in the form of a network.
- They connect the Arterioles to the Venules.

## ARTERIOVENOUS ANASTOMOSIS




- Direct connections between the arteries and veins without the intervention of capillaries.
- Found in:
- Tips of the Fingers and Toes.

## BLOOD CIRCULATIONS




#### • CARDIOPULMONARY:

- Takes place between the heart and lungs.
- The Right side of the heart (Right atrium & ventricle) receive oxygen poor blood
- This blood is pumped from the heart through the Pulmonary Trunk to the lungs.
- Gas exchange takes place in the lungs.
- It returned to the left side of the heart (left atrium & ventricle) through 4 Pulmonary Veins



### • SYSTEMIC:


- Takes place between the heart and each cell of the body.
- Blood is pumped from the left ventricle to all body tissues through the Aorta and its systemic arteries which ultimately terminates in capillaries
- Oxygen poor blood circulates from the tissues to the capillaries, venules & veins back to the right atrium through the Systemic Veins.




## *PORTAL Circulation*

- It is a system of vessels interposed between Two Capillary Beds.
- It takes place in the <u>liver</u> and some endocrine glands (<u>Pituitary gland</u>).
- Veins leaving the gastrointestinal tract do not go direct to the heart.
- They pass to the Portal Vein.
- This vein enters the liver and breaks up into veins of diminishing size which ultimately join capillary like vessels (<u>Sinusoids</u>): first capillary bed.
- **Venous blood enter 2<sup>nd</sup> capillary bed** then to smaller veins that leave the liver through hepatic veins.

## SINUSOIDS





- Thin walled blood vessels like capillaries.
- They are wider with irregular cross diameter.
- They are found in:
- Liver.
- Spleen.
- Bone marrow.
- Pituitary gland.

## **SUMMARY**

- The cardiovascular system is a transporting system.
- It is composed of the heart and blood vessels.
- The heart is cone shaped, covered by pericardium and composed of four chambers.
- The blood vessels are the arteries, veins and capillaries.
- Arteries transport the blood from the heart.
- The terminal branches of the arteries can anastomose with each other freely or be anatomic or functional end arteries.
- Veins transport blood back to the heart.
- Capillaries connect the arteries to the veins.
- Sinusoids are special type of capillaries.
- The portal system is composed of two sets of capillaries.
- It is found in the liver & pituitary gland

# THANK YOU