Lecture Title: BRAIN STEM AND CEREBELLUM.

(CNS Block, Radiology)

Dr. Hamdy Hassan
Ass.Prof. Consultant
Radiology Department
KKHU
King Saud University



Lecture Objectives..



Students at the end of the lecture will be able to:

- Identify radiological anatomy of brain stem and cerebellum.
- Compares CT and MRI imaging of brain stem and cerebellum.
- Recognize the imaging findings in common diseases involving brain stem and cerebellum.

Brain Divisions...



There are three major divisions of the brain:


<u>Diencephalon</u> thalamus, hypothalamus
<u>Telencephalon</u> cerebrum

II Mesencephalon – Midbrain

III Rhombencephalon - Hindbrain

Metencephalon pons and cerebellum

Myelencephalon medulla oblongata



Brain Stem...



- Three parts from superior to inferior:
 - 1 midbrain
 - 2 pons
 - 3 medulla oblongata
- Connects cerebral hemisphere with spinal cord



Midbrain..




Radiological Features:

- At the level of circle of willis
- Anteriorly two cerebral peduncles separated by interpeduncular fossa
- Posteriorly four rounded prominences (superior and inferior colliculi)



CT+



MRI T2WI


Midbrain..



MRI Sagittal T1WI

MRI axial T2WI








- 1 superior colliculus
- 2 inferior colliculus
- 3 cerebral peduncle
- 4 interpeduncular cistern

Midbrain..





Internal features:

substantia nigra separates crus cerebri ventrally from tegmentum posteriorly. Red nuclei are dorsal to substantia nigra at the level of superior colliculi

Pons...



Radiological Features:

- The bulbous anterior part consists mainly of fibres continuous on each side with middle cerebellar peduncle
- Basilar artery lies in groove anteriorly
- Posterior surface of the pons forms the upper part of the floor of the 4th ventricle.
- Bony anterior relation: clivus centrally and petrous temporal bones laterally



CT+

Petrous bone




Basilar artery


Pons...



MRI axial T2WI



MRI Sagittal T1WI



P pons


- **1** 4th ventricle
- 2 basilar artery
- 3 middle cerebellar peduncle

Medulla oblongata..




Radiological Features:

- MRI imaging of the medulla gives superior images to CT due to lack of bony artifact
- The ventral median fissure is seen anteriorly with the pyramid laterally
- The 4th ventricle is seen posteriorly



CT+



MRI axial T2WI

medulla


Cerebellum...




Radiological Features:

 On axial Ct & MRI the cerebellum is separated from the pons by the 4th ventricle and connected to the pons on each side by middle cerebellar peduncle, it is bounded anteriorly by petrous temporal bone

 On higher slices it is separated from temporal and occipital lobes anterolaterally by tentorial margins, tentorium can be seen on contrast enhanced studies owing to the contained superior petrosal sinus





tentorium

Middle cerebellar peduncle


Cerebellum...




Radiological Features:

- Cerebellum is connected to the brainstem by three pairs of cerebellum peduncles:
 - Superior.....connected to the midbrain
 - Middle.....connected to the pons
 - inferior.....connected to medulla oblongata
- Two cerebellar hemisphere with midline vermis
- Flocculus is a small ventral portion of the hemisphere
- Tosils are the most anterior inferior part of the hemispheres that lie close to the midline

axial CT



MRI axial T2WI



flocculus

vermis



tonsil

tonsil

MRI sagittal T1WI

Cerebellum..



Radiological Features:

 The superior vermis can be seen between occipital lobes on section through the thalamus.



CT+

Superior vermis

Cerebellum..




Fig. 2.16 Midline sagittal T, MRI to show vermis of cerebellum.




- Lingula on superior medullary velum
- 2. Primary fissure


- 3. Horizontal fissure
- 4. Prepyramidal fissure
- 5. Foramen of Magendi



Cerebellar Vermis










Acute infarction due to basilar artery thrombosis






Diffusion sequence


Acute infarction due to basilar artery thrombosis




Sag MRI T1WI



axial MRI T2WI




axial MRI T1WI contrast



Brain stem glioma




Sag MRI T1WI contrast



axial MRI T2WI



axial MRI T1WI contrast




Medulloblastoma



Sag MRI T1WI contrast



axial MRI T1WI contrast



Coronal MRI T1WI contrast




Ependymoma




Sag MRI T1WI

axial MRI T2WI

Coronal MRI T1WI contrast







Hemangioblastoma





CT


Sag MRI T1WI


axial MRI T2WI

axial MRI SWI











Cavernous angioma



axial MRI T2WI




axial MRI T1 contrast




Cerebellar tuberculosis



axial MRI T1 contrast






TB meningitis with multiple tuberculomas

Reference book and the relevant page numbers..




• Stephanie Ryan, "<u>Anatomy for Diagnostic</u> imaging", 2nd Edition, Pages 61-66



- Jamie Weir, Peter Abraham, "Imaging Atlas of Human Anatomy" 3rd Edition, Pages 34-41
- Janis Weir
 Refer H Abrahama
 Han Brown
 Pinto born

 M Modely

Peter Armstrong, "diagnostic imaging",
 5th Edition, Pages (396-404)



Thank You ©

(CNS Block, Radiology)



