



Dr. Jamila El-Medany

OBJECTIVES


- At the end of the lecture, students should:
- List the different **parts** of small intestine.
- Describe the anatomy of duodenum, jejunum & ileum regarding: the shape, length, site of beginning & termination, peritoneal covering, arterial supply & lymphatic drainage.
- Differentiate between each part of duodenum regarding the length, level & relations.
- Differentiate between the jejunum & ileum regarding the characteristic anatomical features of each of them.



FIXED (Retro peritoneal) PART (NO MESENTERY) DUODENUM




FREE (MOVABLE) PART (WITH MESENTERY) JEJUNUM & ILEUM



DUODENUM

SHAPE: C-shaped loop **LENGTH: 10 inches BEGINNING: at** pyloro-duodenal junction **TERMINATION: at** -duodeno-jejunal flexure **DPERITONEAL COVERING:** retroperitoneal







- The duodenum is divided into (4) parts:
- 1st : Superior.
 - 2nd : Descending (vertical).
 - 3rd : Inferior (Horizontal)
- 4th : Ascending

LENGTH – SURFACE ANATOMY


PART	LENGTH	LEVEL
FIRST PART (Superior)	2 INCHES	L1 (Transpyloric Plane)
SECOND PART (Descending	3 INCHES	DESCENDS FROM L1 TO L3
THIRD PART (Horizontal)	4 INCHES	L3 (SUBCOTAL PLANE)
FOURTH PART (Ascending)	1 INCHES	ASCENDS FROM L3 TO L2



Structures Related



RELATIONS OF FIRST PART



RELATIONS OF SECOND PART

Posterior

Right kidney

Medial


Pancreas

<u>Anterior</u> Liver Transverse Colon Small intestine


> <u>Lateral</u> R Colic Flexure

OPENINGS IN SECOND PART OF DUODENUM

- 1. Common opening of bile duct & main pancreatic duct: on summit of major duodenal papilla.
- 2. Opening of accessory pancreatic duct (one inch higher): on summit of minor duodenal papilla.



RELATIONS OF THIRD PART





Anterior: a)Small intestine **b)** Superior mesenteric vessels **Posterior:** 1) Right psoas major 2) Inferior vena cava **3)** Abdominal aorta **4) Inferior** mesenteric vessels.

RELATIONS OF FOURTH PART


Anterior: Small intestine

Posterior: Left psoas major






Blood Supply & Lymph drainage



- Because the duodenum is derived from both: Foregut & Midgut,
- □ It has its Arterial Supply from :
- Celiac & Superior mesenteric arteries.
- Venous Drainage to :
- Superior mesenteric& Portal veins.
- **LYMPHATIC DRAINAGE:** Celiac & Superior mesenteric lymph nodes.

JEJUNUM & ILEUM



SHAPE: Coiled tube **LENGTH:** 6 meters (20 feet) **BEGINNING:** at Duodenojejunal flexure **TERMINATION: at Ilieo**caecal junction **EMBRYOLOGICAL ORIGIN: Midgut Blood SUPPLY: Superior** mesenteric A & V LYMPHATIC DRAINAGE: **Superior mesenteric lymph** nodes

	iejunum plicae circulares uperior mesenteric artery	Heur Heur Heyer's patch arterial arcades superior mesenteric artery
	JEJUNUM	ILEUM
LENGTH	Shorter (proximal 2/5) of SI	Longer (distal 3/5) of SI
DIAMETER	Wider	Narrower
WALL	Thicker (more plicae circulares)	Thinner (less plicae circulares)
APPEARANCE	Dark red (more vascular)	Light red (less vascular)
VESSELS	High & Less arcades (long terminal branches)	Low & More arcades (short terminal branches
MESENTERIC FAT	Small amount & away from intestinal border	Large amount & close to intestinal border
LYMPHOID TISSUE	Few aggregations	Numerous aggregations (Peyer's patches)

THANK YOU