


# SPINAL CORD FUNCTIONS & REFLEXES



*Dr Syed Shahid Habib*  
Professor & Consultant Clinical Neurophysiology  
Dept. of Physiology  
College of Medicine & KKUH  
King Saud University

9/3/2018

# OBJECTIVES


**At the end of this lecture the student should be able to :**

- (1) Know levels of nervous control and Enumerate functions of spinal cord**
- (2) Define the reflex arc and its components.**
- (3) Classify reflexes with examples and how they differ from each other .**
- (4) Describe the spinal cord reflexes, their significance & pathways**

# REMEMBER


- These handouts will facilitate what you have to study and are not an alternative to your text book.
- The main source of this **Lectures** is from Guyton & Hall 13<sup>th</sup> Edition
- Ch55-Pages 695-705

9/3/2018



# HOW NERVOUS SYSTEM FUNCTIONS?

- Collection of sensory input
- Central Integration
- Motor output



## HIGHER BRAIN OR CORTICAL LEVEL

Control all lower centers, thought processes, memory

## LOWER BRAIN OR SUBCORTICAL LEVEL

Subconscious activities of the body are controlled in the lower areas of the Brain; the medulla, pons, mesencephalon, hypothalamus, thalamus, cerebellum, and basal ganglia.


## SPINAL CORD LEVEL

- (1) walking reflexes
- (2) withdrawal reflexes
- (3) anti gravity reflexes
- (4) Reflexes that control of blood vessel gastrointestinal, urinary/defecation.


9/3/2018

# The Nervous System


## Central Nervous System



## Peripheral Nervous System



# Sensory and Motor Tracts



# SPINAL CORD FUNCTIONS


1. Center for Spinal Cord Reflexes (Somatic & Autonomic)
2. Gateway and Conduction Pathways for all tracts
3. Gateway for Pain control systems

## What is a Reflex?

A reflex is a fast, predictable, automatic (involuntary) response to a stimulus (change in the environment)


Terms to remember  
Reflex Arc, ipsilateral, contralateral, monosynaptic, polysynaptic and reciprocal innervation

9/3/2018




# General Components of a Reflex Arc

**Reflex arc:** direct route from a sensory neuron, to an interneuron, to an effector






# WHAT IS STRETCH REFLEX?



Pathways responsible for the stretch reflex and the inverse stretch reflex

# Classification of reflexes



# Types of reflexes

## Clinical classification


### 1-Superficial reflexes:

- \* initiated by stimulating appropriate receptors of skin or mucous membrane.
- \* Are usually multisynaptic .
- \* Usually involve moving away from stimulus
- \* E.g. plantar response, corneal and conjunctival reflexes.



### 2- Deep reflexes:

- \* Stimulating receptors deep in muscles (Spindles & Golgi Tendon Organs).
- \* Are Stretch reflexes called tendon reflexes
- \* E.g. knee jerk, ankle jerk etc.



### 3- Visceral reflexes:

- \* Are the reflexes where at least one part of the reflex arc is autonomic nerve
- \* Stimulate receptors in viscera.
- \* E.g, pupillary reflex, carotid sinus reflex

9/3/2018

# Spinal Cord Reflexes

## Somatic Reflexes Integrated in Spinal Cord

- Stretch → Maintain Muscle Tone
- Flexor → Withdrawal
- Extensor → Standing/Posture/Stepping
- Rhythmic → Walking/Scratching

## Autonomic (Visceral) Integrated in Spinal Cord

- Vasomotor → Vascular tone
- Micturition/Defecation → Bladder/Bowl

# Classification of reflexes

## By Complexity

- **Monosynaptic or stretch reflex or tendon jerk**

eg. Bicep jerk tricep jerk, supinator jerk  
knee jerk, ankle jerk

- **Polysynaptic reflex**

eg. Withdrawal reflex  
Abdominal reflex  
Plantar reflex

# Spinal cord levels of the tendon reflexes

## ○ Biceps




## ○ Brachioradialis



## ○ Achilles



## ○ Triceps



## ○ Patellar




<i>Reflex</i>	<i>Cord level</i>
<i>Biceps (elbow)</i>	<i>C5,6</i>
<i>Brachioradialis</i>	<i>C5,6</i>
<i>Triceps</i>	<i>C6,7</i>
<i>Long finger flexors</i>	<i>C8-T1</i>
<i>Hip Abductors</i>	<i>L2,3,4</i>
<i>Quadriceps (knee)</i>	<i>L2,3,4</i>
<i>Gastrocnemius-soleus (ankle)</i>	<i>S1,2</i>

# KNEE JERK MONOSYNAPTIC REFLEX


9/3/2018

Figure 13.17  
The knee-jerk reflex.



# RECIPROCAL INHIBITION AND RECIPROCAL INNERVATION

When a stretch reflex excites one muscle, it often simultaneously inhibits the antagonist muscles, which is the phenomenon of reciprocal inhibition, and the neuronal circuit that causes this reciprocal relation is called reciprocal innervation.




The pathway mediating this effect is bisynaptic.


**Figure 55-12.** Myogram of a flexor reflex showing reciprocal inhibition caused by an inhibitory stimulus from a stronger flexor reflex on the opposite side of the body.



Figure 13.23  
Reciprocal inhibition of flexors and extensors of the same joint.



**Reciprocal inhibition is required with the monosynaptic reflex**



# WITDRAWEL REFLEX - POLYSYNAPTIC REFLEX

9/3/2018

## **FLEXOR REFLEX AND THE WITHDRAWAL REFLEXES**

**In the spinal or decerebrate animal, almost any type of cutaneous sensory stimulus from a limb is likely to cause the flexor muscles of the limb to contract, thereby withdrawing the limb from the stimulating object. This reflex is called the flexor reflex.**

### **CROSSED EXTENSOR REFLEX**


**About 0.2 to 0.5 second after a stimulus elicits a flexor reflex in one limb, the opposite limb begins to extend.**

**This reflex is called the crossed extensor reflex.**

**Extension of the opposite limb can push the entire body away from the object, causing the painful stimulus in the withdrawn limb.**

# Crossed Extensor Reflexes

To motor neurons in other segments of the spinal cord



KEY	
<span style="color: red;">—</span> Sensory neuron (stimulated)	<span style="color: blue;">- - -</span> Motor neuron (inhibited)
<span style="color: grey;">—</span> Excitatory interneuron	<span style="color: black;">- - -</span> Inhibitory interneuron
<span style="color: black;">—</span> Motor neuron (stimulated)	

# RECIPROCAL INHIBITION







Figure 55-9. Flexor reflex, crossed extensor reflex, and reciprocal inhibition.



**Figure 55-10.** Myogram of the flexor reflex showing rapid onset of the reflex, an interval of fatigue, and, finally, afterdischarge after the input stimulus is over.



**Figure 55-11.** Myogram of a crossed extensor reflex showing slow onset but prolonged afterdischarge.



# REFLEXES OF POSTURE AND LOCOMOTION

- Positive Supportive Reaction.
- Cord “Righting” Reflexes.



## STEPPING AND WALKING MOVEMENTS

- Rhythmical Stepping Movements of a Single Limb.
- Reciprocal Stepping of Opposite Limbs.
- Diagonal Stepping of All Four Limbs—“Mark Time” Reflex.
- Galloping reflex

9/3/2018




Figure 54-12

Diagonal stepping movements exhibited by a spinal animal.

# Scratch Reflex


- (1) Position sense that allows the paw to find the exact point of irritation on the surface of the body and
- (2) A to-and-fro scratching movement.



## Spinal Cord Reflexes That Cause Muscle Spasm

- Muscle Spasm Resulting From a Broken Bone.
- Abdominal Muscle Spasm in Persons with Peritonitis.
- Muscle Cramps.

9/3/2018





# **Segmental autonomic reflexes are integrated in the spinal cord**

- (1) changes in vascular tone resulting from changes in local skin heat**
- (2) sweating, which results from localized heat on the surface of the body**
- (3) intestinointestinal reflexes that control some motor functions of the gut**
- (4) peritoneointestinal reflexes that inhibit gastrointestinal motility in response to peritoneal irritation**
- (5) evacuation reflexes for emptying the full bladder**

## **Mass Reflex**

**In a spinal animal or human being, some times the spinal cord suddenly becomes excessively active, causing massive discharge in large portions of the cord by painful stimulus**

9/3/2018



**THANKS**

9/3/2018

© CALLA