



Organization of the Nervous System

Please check our **Editing File**

هذا العمل مبني بشكل أساسي على عمل دفعة ٤٣٦ مع المراجعة

والتدقيق وإضافة الملاحظات ولا يغني عن المصدر الأساسي للمذاكرة

Lecture (1)

Important

- Doctors Notes
- Notes/Extra explanation

{وَمَنْ يَتَوَكَّلْ عَلَى اللَّهِ فَهُوَ حَسْبُهُ}

Objectives


At the end of the lecture, students should be able to:

- \checkmark List the parts of the nervous system.
- \checkmark List the function of the nervous system.
- ✓ Describe the Structural & Functional Organizations.
- ✓ Define the terms:
- Nervous tissue, grey matter, white matter, nucleus, ganglion, tract, nerve.
- \checkmark List the parts of the brain.
- \checkmark List the structures protecting the central nervous system.

Introduction How does the nervous system work?

The nervous system has three general functions:

- 1. <u>Collection of sensory input</u>:
 - Identifies changes occurring inside or outside the body **by using sensory receptors**. These changes are <u>called stimuli</u>.
- 2. Integration:
 - Processes, analyzes, and interprets these changes and makes decisions.
- 3. <u>Motor output</u>, or response **by activating muscles or glands** (effectors).



Classification




To remember: **SAME** <u>S</u>ensory: <u>A</u>fferent / <u>M</u>otor: <u>E</u>fferent

I. Anatomical or Structural classification:


- 1 Central Nervous System
 - (brain and spinal cord)

2 Peripheral Nervous System

(everything coming out of the CNS: cranial and spinal nerves, ganglia, and receptors)




- **II. Physiological** or Functional classification: 1<u>Sensory division</u> (Afferent)
 - 2-Motor division (Efferent):
 - o Somatic (voluntary)
 - o Autonomic (involuntary)



Classification Structural Organization

Two subdivisions:

- <u>Central Nervous System</u>(CNS)
 - Consists of <u>Brain</u> & <u>Spinalcord</u>
 - Occupies the dorsal body cavity.
 - Acts as the integrating and command centers.
- <u>Peripheral Nervous System</u>(PNS)
 - Consists of <u>nerves</u>, <u>ganglia</u>, <u>receptors</u>.
 - It is the part of the nervous system outside the CNS.



Classification Functional Organization


- Two subdivisions:
- Sensory or <u>a</u>fferent division:
 - Consists of nerve fibers that convey impulses <u>from</u> receptors located in various parts of the body, <u>to</u> the CNS.
- Motor or <u>efferentdivision</u>:
 - Consists of nerve fibers that convey impulses <u>from</u> the CNS<u>to</u> the effector organs, muscles and glands.


Both <u>sensory</u> and <u>motor</u> subdivisions are further divided into visceral. and somatic (we will focus here on the motor subdivision)

Motor subdivision is divided into:


- <u>Somatic division</u>: concerned with skin, skeletal muscles and joints.
- <u>Autonomic (visceral) division</u>: concerned with the visceralorgans (sympathetic and parasympathetic).

<u>Afferent</u> → <u>approach</u> the CNS <u>Efferent</u> → <u>e</u>xit the CNS





Functional Organization of the PNS



Additional picture for more understanding.


The Nervous System

It is the major <u>controlling</u>, <u>regulatory</u> & <u>communicating</u> system in the body.
 It is the center of all mental activity including: Thought, Learning, Behavior and Memory.
 Together with the endocrine system, the nervous system is responsible for regulating and maintaining **homeostasis**. (Nervous System + Endocrine System ? Homeostasis)

Nervous Tissue

- Nervous system is composed of nervous tissue, which contains two types ofcells:
 - 1 Nerve cells or **neurons** (cell bodies)
 - 2 <u>Supporting cells or neuroglia (glia)</u>. (Supporting bodies)
- Nervous system contains millions of neurons that vary in their shape, size, and number of processes.


 \odot The nerve cells can't regenerate



Nervous Tissue Neurons

What is a neuron?


- It is the **basic structural (anatomical), functional and embryological unit** of the nervous system.
- The human nervous system is estimated to contain about 10¹⁰.
- The junction site of two neurons is called a "synapse or relay".
- In the synapses the membranes of adjacent cells are in close apposition (contiguity=contact, not continuity). They are adjacent to each other and may come into contact but are not continuous with one another. (متلامسة وليست متسلسلة)



Nervous Tissue Dendrites


Dendrites are like ears so they receive information. Axons are like the mouth so they send information.


- \circ The neuron has cell body with multiple processes.
- Most of the processes of the cell body are short with variable numbers and are <u>receptive</u> in function.
- They are known as **Dendrites**.
- One of these processes leaving the cell body is called the <u>axon</u> which carries information <u>away</u> from the cell body.
- Axons are highly variable in length and may divide into several branches or collaterals through which information can be distributed to a number of different destinations.
- At the end of the axon, specializations called <u>terminalbuttons</u> occur where information is transferred (neurotransmission) to the dendrites of other neurones.



Development	From the survey to see all holds.
Dendrites	From other neurons toward cell body
axons	Away from cell body
Terminal buttons	To dendrites of <u>other</u> neurons


Remember the difference!






<u>Tract</u>= Agroup of nerve fibers (axons) within the CNS

<u>Nerve</u>= A group of nerve fibers (axons) **outside** the CNS



Nervous Tissue Nervous tissue is organized as:


Grey Matter	White Matter	
I. Cell Bodies	<u>No</u> cell bodies in the white matter	
2. Processes of the neurons	I. Processes of the neurons	
3. Neuroglia	2. Neuroglia	
4. Blood Vessels	3. Blood vessels	





Nervous Tissue Neuroglia (or glia or glial cells)

- Neuroglia, or glia cells constitute the other major cellular component of the nervous tissue.
 "Neuroglia (plural), ganglion (singular)"
- It is a specialized connective tissue supporting framework for the nervous system
- Unlike neurones, **neuroglia** <u>do not</u> have a direct role in information processing but they are essential for the normal functioning of the neurons, they act as supporting and nutrition forneurons






Spinal Cord

- Elongated almost cylindrical suspended in the vertebral Ο canal, surrounded by the meninges and cerebrospinal fluid. Start from foramen magnum to L1-L2
- Approximately 45 cm long in adult and is about the \bigcirc thickness of the little finger.
- It extends from the **foramen magnum** to the upper Ο border of the 2nd lumbar vertebra.
- Continuous above with the medulla oblongata. Ο
- Its lower end is called conusmedullaris*. \cap
- Gives rise to 31 **pairs** of spinal nerves: Ο
 - 8 Cervical
 - 12 Thoracic
 - 5 Lumbar
 - 5 Sacral
 - ONE Coccygeal

*Recall from foundation:

End of spinal cord: conus medullaris. End of spinal nerves: cauda equina.

Coccypinal





Peripheral Nervous System

- Spinal nerves supplying the upper or lower limbsform plexuses e.g <u>brachial</u> or <u>lumbar plexus</u>. (It always coming from the anterior rami)
- Nerve cell bodies that are aggregated outside the CNS are called <u>GANGLIA</u>.

Autonomic Nervous System


- Neurons that <u>detect changes</u> and <u>control the activity</u> of the viscera are collectively referred to as the autonomic nervous system.
- Its components are present in <u>both</u> the central and peripheral nervous systems.
- \circ The autonomic nervous system innervates:
- \circ Smooth muscles
- o Cardiac muscle
- \circ Secretory glands





Autonomic Nervous System

- It is an important part of the homeostatic mechanisms that control the internal environment of the body with the endocrine system.
- The autonomic nervous system is divided into two anatomically and functionally distinct parts:
 - <u>Sympathetic</u>: Or Thoracolumbar outflow
 - **Parasympathetic**: Or Craniosacral outflow.
- Sympathetic and parasympathetic , divisions are generally have antagonistic effects on the structures that they innervate.
- E.g. Sympathetic increases the heart rate, while the parasympathetic decreases the heart rate.




The Brain

 \odot The brain is composed of 4 parts:

- 1. <u>Cerebral hemispheres (2 cerebrum)</u>
- 2. <u>Diencephalon</u>
- 3. Brain stem
- 4. <u>Cerebellum</u>

1. Cerebral Hemisphere


- \odot The largest part of the brain.
- o They have <u>elevations</u>, called <u>gyri</u> (singular: gyrus)
- Gyri are separated by <u>depressions</u> called sulci (singular: sulcus).
- Each hemisphere is divided into 4 lobes named according to the bone of the skullabove.
- Lobes are separated by deeper grooves called fissures or <u>sulci</u>.
 Example: central sulcus separates the frontal lobe and parietal lobe.
 lateral sulcus separates frontal, parietal and temporal lobes



The Brain 1. Cerebral Hemisphere


Tissue of the cerebral hemispheres:

- The outer layer is the gray matter or <u>cortex.</u>
- Deeper is located the <u>white matter</u>, or medulla, composed of bundles of nerve fibers, carrying impulses to <u>and</u> from the cortex
- <u>Basal nuclei</u> are gray matter that are located deep within the white matter. (they are an exception because white matter should only contain fibers)
- They help the motorcortex in regulation of voluntary motor activities.



The Brain 2. Diencephalon


- The diencephalon is located Ο between the 2 cerebral hemispheres and is linked to them and to the brainstem.
- The major structures of the Ο diencephalon are the Thalamus, Hypothalamus, Subthalamus and Epithalamus.



The Brain 3. Brainstem


- The brainstem has three parts midbrain, Pons and medulla oblongata (continues as the spinal cord).
- It is connected to the cerebellum with 3 paired peduncles: <u>Superior</u>, <u>middle</u> and <u>inferior</u>.


*Superior peduncle connects midbrain with cerebellum Middle peduncle connects pons with cerebellum Inferior peduncle connects medulla oblongata with cerebellum



The Brain 4. Cerebellum

- Cerebellum has 2 cerebellar hemispheres with convoluted surface.
- It has an **outer** cortex of **gray** matter and an **inner** region of **white** matter.
- It provides precise coordination for body movements and helps maintain equilibrium.






Meninges


- There are three connective tissue \bigcirc membranes invest the brain and the spinal cord.
- These are from *outward to inward* are: \bigcirc
 - 1 Dura mater. الصلبة
 - 2 Arachnoid mater. عنكبونية
 - 3 Pia mater. متلاصقة بشكل مباشر
- The space between the arachnoid mater and pia mater is the subarachnoid space for the CSF (cerebrospinal fluid). • Note that is NO subpia space


 D_{u} ra $\rightarrow O_{u}$ tside $Pia \rightarrow Inside$

To remember the order from outside to inside: Dora Ate Pie



The meninges are the membranes covering the brain and spinal cord





Extra

*ADAM


Brain Ventricles

- Brain is bathed by the cerebrospinal fluid (CSF).
- Inside the brain, there are 4 ventricles filled with CSF.
 - o The 4 ventricles are:
 - 2 lateral ventricles: One in each hemispheres.
 - <u>**3rd ventricle**</u>: in the Diencephalon.
 - **4<u>th ventricle</u>**: between Pons, Medulla oblongata & Cerebellum.

N.B. <u>Cerebral aqueduct</u>* (within midbrain):


connects the 3rd to the 4th ventricle.

*cerebral aqueduct is also a channel for CSF but is not considered a ventricle.




Cerebrospinal Fluid (CSF)

- CSF is constantly produced by the <u>choroid</u> <u>plexuses</u> inside the ventricles.
- Inside the brain, CSF flows from the lateral ventricles to the 3rd and 4th ventricles*
- From the 4th ventricle, a small part of the CSF
- flows down in the <u>central canal</u> of the spinal cord.
- Most of the CSF drains from the 4th ventricle to distribute in the <u>subarachnoid space</u> around the brain and returns to the dural sinuses through the arachnoids villi.
- Arachnoid villi are small protrusions of the arachnoid.
- Villi absorb cerebrospinal fluid and <u>return</u> it finally to the dural venous circulation.
- \circ $\,$ CSF is important to absorbed hits $\,$



Summary



MCQs

(1) CSF is constantly produced by?

A) Cerebral Aqueduct

C) Diencephalon

(2) What is the final drainage of CSF?

A) Arachnoids VilliC) Dural Sinuses

B) Subarachnoid Space

D) Choroid plexuses

B) Choroid Plexuses

D) Brachial plexuses

(3) The 3rd ventricle lies in?

A) Cerebral hemisphere

C) Cerebellum

B) DiencephalonD) Brain stem

(4) Autonomic nervous system is present in?

A) Central nervous systemC) A&B

B) peripheral nervous systemD) Non of them

(5) Which one of the following is related to the nucleus?

- A) Neurons outside the CNS
- B) Neurons inside the CNS
- C) Nerve fibers within the CNS
- D) Nerve fibers outside the CNS.

(6) What is the functional unit of nervous tissue?

A) NeuronB) NeurogliaC) NephronD) Non of them

(7) Which component is NOT found in white matter?

A) Cell body	B) Blood vessels
C) Processes of the neuron	D) Neuroglia

(8) Which one in NOT innervated by ANS?

A) Skeletal muscle	B) Smooth muscle
C) cardiac muscle	D) secretary glands

(9) The meninges layers from outward to inward?

A) Pia mater , arachnoid mater , dura mater
B) Arachnoid mater , pia mater , dura mater
C) Dura mater , arachnoid mater , pia mater
D) Arachnoid mater , dura mater , pia mater

(10) connects the 3rd to the 4th ventricle?

A) Arachnoid villiC) Central canal

B) Cerebral aqueductD) Choroid plexuses

Answers

(7) A

(8) A

(9) [

(6) A (1) B (2) C (3) B (4) [(5) B (10) B



(1) How does the cerebrospinal fluid circulate?

Cerebrospinal fluid (CSF) is produced in the choroid plexus of the lateral ventricles to the 3rd ventricle then 4th ventricle via cerebral aqueduct. Part of CSF then circulates down in the central canal of the spinal cord. But most of the CSF drains from the 4th ventricle to distribute in the subarachnoid space around the brain and returns to the dural sinuses through the arachnoids villi

(2) What does peripheral nervous system consist of?

Consists of nerves, ganglia, receptors.

(3) What are the three layers of the meninges from outward to inward? Which layer of the meninges contains the cerebrospinal fluid?

- Dura mater.
- Arachnoid mater.
- Pia mater.

Cerebrospinal fluid is located in the subarachnoid space between the arachnoid mater and the pia mater.





Good luck Special thank for team436 💙

Team Leaders:

Faisal Fahad Alsaif Rawan Mohammad Alharbi

Team Members:

Abdulaziz Aldukhayel Abdulrahman Alduhayyim Rinad Alghoraiby Rawan Mishal



1.Girls' & Boys' Slides

2. Greys Anatomy for Students

3.TeachMeAnatomy.com



Anatomyteam.437@gmail.com