ENDOCRINOLOGY

Dr. Hana Alzamil

PITUITARY GLANDS

Anterior pituitary hormones

GH

- Physiological functions
- Regulation of GH secretion

Feedback mechanism Factors controlling secretion


Prolactin

- Physiological functions
- Regulation of prolactin secretion

ENDOCRINE GLAND STIMULI MAY BE HUMORAL, NEURAL, OR HORMONAI

(a) Humoral Stimulus


1 Capillary blood contains low concentration of Ca²⁺, which stimulates...



2 ...secretion of parathyroid hormone (PTH) by parathyroid glands*

(b) Neural Stimulus


1 Preganglionic sympathetic fibers stimulate adrenal medulla cells...



2 ...to secrete catecholamines (epinephrine and norepinephrine)

(c) Hormonal Stimulus


1 The hypothalamus secretes hormones that...



Copyright @ 2010 Pearson Education, Inc.


(ADENOHYPOPHY

 Anterior pituitary gland (adenohypophysis) is connected to hypothalamus by portal system: "hypothalamichypophysial portal vessels".



LIFE: THE SCIENCE OF BIOLOGY, Seventh Edition, Figure 42.7 Hormones from the Hypott © 2004 Sinaue


ANTERIOR PITUITARY HORMONES



GROWTH HORMONE


(Somatotropin)

MECHANISM OF ACTION DIRECT EFFECT



TRENDS in Endocrinology & Metabolism

INDIRECT EFFECT SOMATOMEDINS



- A) Long term effect Promotion of growth:
 - ? cellular sizes & ? mitosis
 - ? tissue growth & organ size

Indirect effect


Depends on somatomedin 'insulin- like growth factor [IGF-I& II] secreted by the liver, which is responsible for effect of GH on bone & cartilage growth and increase the synthesis of protein in skeletal muscles.

MECHANISMS OF BONE GROWTH


- 1. Linear growth of long bones:

 - When bony fusion occurs between shaft & epiphysis at each end, no further lengthening of long bone occur.
- 2. Deposition of New Bone (2 cell proliferation) on surfaces of older bone & in some bone cavities, 2 thickness of bone.
 - Occurs in membranous bones, e.g. jaw, & skull bones.

BONE GROWTH



PROMOTION OF GROWTH




- B. Short term Metabolic effects:
 - Protein metabolism (Anabolic)
- ? rate of protein synthesis in all cells through:
 - 2 amino acids transport into cells
 - ?DNA transcription= RNA synthesis
 - ?RNA translation= protein synthesis
 - ↓ Protein catabolism "protein sparer"

Fat metabolism: Catabolic
 Imobilization of FFAs from adipose tissue stores
 Conversion of FFT to acetyl CoA to provide energy

CHO metabolism: Hyperglycemic ? Glucose uptake by tissues (skeletal muscles and fat). ? Rate of glucose utilization throughout the body PGlucose production by the liver (? gluconeogenesis) ? Insulin resistance (?FFA) (Diabetogenic)

Glucose Counter-regulatory Hormones: Effect on Fat and Muscle Cells



OTHER EFFECTS OF GROWTH HORMONE:

- Increases calcium absorption from GIT
- Strengthens and increases the mineralization of bone
- Retention of Na+ and K+
- Increases muscle mass
- Stimulates the growth of all internal organs excluding the brain
- Contributes to the maintenance and function of pancreatic islets
- Stimulates the immune system

CONTROL OF GH SECRETION:

- 1. The hypothalamus:
 - a. GHRH ? ? GH secretion.
 - b. GHIH (somatostatin) ? ? GH secretion
- 2. Hypoglycemia (fasting) ? GH secretion. (N.B. high glucose intake ? ? GH secretion).
- 3. Muscular exercise ? ? GH secretion.
- 4. Intake of protein or amino acids 2 GH secretion (after meals).

CONTROL OF GH SECRETION:

- 5. During sleep ? ? GH more in children.
- 6. Stress conditions, e.g. trauma or emotions [9] [9] GH secretion.
- 7. FFAs ? GH secretion
- 8. Ghrelin (stomach) ? GH secretion.

TABLE 16.1

Pituitary Hormones: Summary of Regulation and Effects

HORMONE (CHEMICAL STRUCTURE AND CELL TYPE)

REGULATION OF RELEASE

TARGET ORGAN AND EFFECTS

AND HYPERSECRETION ↑



Anterior Pituitary Hormones


Growth hormone (GH) (Protein, somatotroph)

which is triggered by low blood levels of GH as well as by a number of secondary triggers including hypoglycemia, increases in blood levels of amino acids, low levels of fatty acids, exercise, other types of stressors, and estrogens

Stimulated by GHRH* release,

Inhibited by feedback inhibition exerted by GH and IGFs, and by hyperglycemia, hyperlipidemia, obesity, and emotional deprivation via either increased GHIH*

(somatostatin) or decreased



other tissues: anabolic hormone; stimulates somatic growth; mobi-

Growth-promoting effects medi-

 ↓ Pituitary dwarfism in children
 ↑ Gigantism in children; acromegaly in adults

*Indicates hypothalamic releasing and inhibiting hormones:


10


lizes fats; spares glucose

ated indirectly by IGFs

Copyright © 2010 Pearson Education, Inc.

GHRH* release








FIGURE 75-6

Typical variations in growth hormone secretion throughout the day, demonstrating the especially powerful effect of strenuous exercise and also the high rate of growth hormone secretion that occurs during the first few hours of deep sleep.

ABNORMALITIES OF GH SECRETION

? GH SECRETION:

- Childhood':
- Signs & symptoms 'Gigantism,
- Height as it occurs before epiphyseal fusion of long bones with their shafts.
- Hyperglycemia (diabetes).

- Adults':
- Signs & symptomsAcromegally,soft tissue continue to grow
- o soft tissue continue to grow in thickness (skin, tongue, liver, kidney, ...)
- Enlargément of bones of hands & feet.
- o Enlargement of membranous bones including cranium, nose, forehead bones, supraorbital ridges, vertebrae.
 - o Protrusion of lower jaw.
 - Hunched back (kyphosis) (enlargement of vertebrae).
- Hyperglycemia (diabétes).

?GH IN CHILDREN



?GH IN AN ADULT







?GH = PITUITARY DWARFISM





PROLACTIN


FUNCTIONS AND CONTROL OF PROLACTIN SECRETION

Function:

The major function of prolactin is milk production

Control of secretion:

- ?Release is inhibited by PIH (dopamine)
- Suckling response inhibits PIH release leading to increase prolactin release.



Prolactin

D SECRETORY EPITHELIAL CELL

FUNCTIONS OF PROLACTIN

Effect on the breast

Increases mRNA Increases production of casein and lactalbumin

Other effects

Stimulates the secretion of dopamine in median eminence (inhibits its own secretion)
Inhibits the effects of gonadotropins

CONTROL OF SECRETION

- PIH (Dopamine) inhibit its secretion
- Exercise increases PRL secretion
- Surgical & psychological stress increases PRL secretion
- Stimulation of the nipple increases PRL secretion
- During Sleep Prolactin level rises
- During pregnancy prolactin level rises
- TRH increases PRL secretion



Thank you