



(CNS Block, Microbiology)

Lecturer name: Dr. Ahmed M. Albarrag Lecture Date: Oct-2019

Lecture Objectives..



1. To know the main fungi that affect the central nervous system and the clinical settings of such infections.

2. To acquire the basic knowledge about fungal meningitis and brain abscess: clinical features, etiology, diagnosis, and treatment.

Ring Saud Church

Fungal infections of central nervous system (CNS)

➤CNS infections are both diagnostic challenge and medical emergency

>Delay in diagnosis and initiation of appropriate therapy will lead to high mortality rate or in permanent, severe neurological damage

Fungal infections of the CNS are not common However, they are being increasingly diagnosed

Why?

Risk factors



HIV/AIDS Hematopoietic stem cell transplant (HSCT) Solid organs transplantation Malignancies Neutropenia Hereditary immune defects Immunosuppressive medications **Diabetes mellitus** Surgery or trauma Indwelling catheters (e.g. candidemia _____ CNS seeding)

How fungi reach the central nervous system



Fungi reach the central nervous system by different mechanisms:

Hematogenous spread

➢Local extension from the paranasal sinuses, the ear, or the orbits.

Traumatic introduction

Surgical procedures Head trauma Injections lumbar punctures



Clinical syndromes

Meningitis

Sub acute Chronic

Brain abscess

With or without vascular invasion

These clinical syndromes can occur either alone or in combination.
Certain clinical syndromes are specific for certain fungi





Several fungal agents can cause CNS infections.

Yeast: Candida spp Cryptococcus spp

Dimorphic

Histoplasma spp Blastomyces spp Coccidioides spp Paracoccidioides spp Penicillium marneffei

Mould

Aspergillus spp Zygomycetes Fusarium spp

Exophiala spp Cladophialophora bantiana Curvularia, Bipolaris <u>Rhinocladiella mackinziei</u> and Others

Cryptococcal meningitis



AIDS is the leading predisposing factor

Etiology:


Cryptococcus neoformans is the most common etiology *Cryptococcus gattii*

- Capsulated yeast cells
- Naturally in birds droppings (Pigeon), tree hollows, Soil

Acquired by inhalation

Mainly meningitis





INDIA INK PREPARATION

Candidiasis



Candida species are the fourth most common cause of hospital acquired blood stream infections

Candida can reach the CNS

Hematogenously, Surgery, Catheters Indwelling catheter and fever unresponsive to antibacterial agents

Clinical syndromes

Cerebral microabscesses Cerebral abscesses Meningitis Vascular complications (infarcts, hemorrhage)


Candidiasis



Etiology:

Candida albicans, and other species including C. glabrata, C. tropicalis C. parapsilosis, and C. krusei.







CNS Aspergillosis



Usually brain abscesses (single or multiple)

A severe complication of hematological malignancies and cancer chemotherapy, transplantation


Spread Hematogenously may also occur via direct spread from the anatomically adjacent sinuses, Angiotropism (infraction and hemorrhagic necrosis)


Mortality rate is high


CNS Aspergillosis



Etiology: Aspergillus fumigatus, but also A. flavus, and A. terrus







CNS Zygomycosis (mucoromycosis)

The rhinocerebral form is the most frequent prezygomycosis.

Diabetics with ketoacidosis, in addition to other

The clinical manifestations of the rhinocerebral and involve the orbit, eye and optic nerve and €

Facial edema, pain, necrosis, loss of vision, black Angiotropism; As angio-invasion is very frequent

Etiology: Zygomycetes e.g. *Rhizopus, Absidia, Muce* Fast growing fungi

Mortality is high (80- 100%) Progression is rapid,


To improve the outcome:

Rapid diagnosis Control the underlying disease Early surgical debridement Appropriate antifungal therapy

CNS Zygomycosis (mucoromycosis)



Etiology: Zygomycetes e.g. *Rhizopus, Absidia, Mucor* Fast growing fungi



Pheohyphomycosis



Fungal infections caused by dematiaceous fungi Neurotropic fungi

CNS infections: Usually brain abscess, and chronic

Reported in immunocompetent hosts

Etiology: <u>Rhinocladiella mackenziei</u> (Mainly reported from Middle East) Cladophialophora, Exophiala, Curvularia, Fonsecaea,

Other Infections



Histoplasmosis Blastomycosis Coccidiodomycosis Paracoccidiodomycosis

Caused by primary pathogens

Sub acute or chronic Meningitis (common), and brain abscess

Following a primary infection, mainly respiratory





Clinical features (history, risk factors, etc) Not Specific

Neuro-imaging

Good value in diagnosis and therapy monitoring

Lab Investigations

CSF examination (cell count, chemistry) Histopathology Microbiology

Lab Diagnosis

Clinical Samples

CSF Biopsy Pus, aspirate Blood (for serology)

1. CSF abnormalities

Cell count Glucose level (low) Protein level (high) Not specific for Fungal infections



Lab Diagnosis



2. Direct Microscopy

Fungal stains: Giemsa, GMS, PAS, India ink (Cryptococcus neoformans)

3. Culture

Fungal media: SDA, BHI, other media if needed.

4. Serology

Candida Aspergillus Cryptococcus

Histoplasma Blastomyces Coccidioides Paracoccidioides

5. PCR

Lab. Diagnosis



والمعادية والمتحدي	
CNS infection	Direct microsc
Cryptococcal meningitis	Yeast cells Capsulated (ind ink)
Candidiasis	Yeast cells and pseudohyphae
Aspergillosis	Septate branch hyphae
Zygomycosis	Broad non-sep hyphae
Pheohyphomycosis	Brown septate hyphae

*Serology: β-D- Glucan

For diagnosis of invasive fungal infections except cryptococcosis and zygomycosis

Management



1. Control of the underlying disease

- 2. Reduce immunosuppresion, restore immunity if possible
- 3. Start antifungal therapy promptly

Polyenes

Azoles

Echinocandins

Consider surgery in certain situations

Antifungal therapy



CNS fungal infection	Treatment
Cryptoccocal meningitis	Amphotericin B (combination with Flucytosine)
CNS Candidiasis	Amphotericin B, Caspofungin, Fluconazole, Voriconazole,
CNS Aspergillosis	Voriconazole, Amphotericin B (Combination of Voriconazole and Caspofungin)
CNS Zygomycosis	Amphotericin B



Thank You ③

(CNS Block, Microbiology)

Dr. Ahmed M. Albarrag Oct-2019