


HORMONE REPLACEMENT THERAPY

Dr. Asma Alonazi

(Slides are adopted and modified from Dr. Ishfaq Bukhari)



ILOs



By the end of this lecture, you will be able to:

- Recognize menopausal symptoms & consequences
- Classify drugs used to alleviate such symptoms that are used as Hormonal Replacement Therapy [HRT]
- Expand on the mechanism of action, indications, preparations, side effects & contraindications of such agents.





HRT

1/3rd of total female population

MENOPAUSE

Is a system of medical treatment that is designed to artificially boost female hormones, in hope to alleviate symptoms caused by ↓ in their circulating levels.



PERI & POSTMENOPAUSE
Natural, Pathological, Induced





A complex physiological change that occurs at the time when the last period ends generally as women age and loss fertility (age late 40s)

- ↓ Estrogen & Progesterone
- ↓ Androgens
- ↑ FSH & LH
- ↑ Insulin Resistance

'menos' (month)
'pauis' (cessation)

Normal menstruation



Source: Longo DL, Fauci AS, Kasper DL, Hauser SL, Jameson JL, Loscalzo J: *Harrison's Principles of Internal Medicine, 18th Edition*: www.accessmedicine.com
Copyright © The McGraw-Hill Companies, Inc. All rights reserved.




SYMPTOMS & CONSEQUENCES of MENOPAUSE

HRT

▶ **Immediate**
▶ **Intermediate**
▶ **Long Term**

- ▶ Hot Flashes / Night Sweats (vasomotor symptoms)
- ▶ Insomnia, Anxiety, Irritability
- ▶ Mood Disturbances
- ▶ Reduction In Sexuality & Libido
- ▶ Poor Concentration / Memory Loss

- ▶ Dyspareunia & vaginal dryness
- ▶ Urethral syndrome
(dysuria, urgency & frequency)
- ▶ Incontinence, difficulty in voiding
- ▶ Increased bruising
- ▶ Generalized aches and pains



- ▶ Osteoporosis
- ▶ CVS Risks; ↑ LDL/HDL ratio, CHD, stroke,...
- ▶ CNS deficits; Alzheimer's, dementia



Menopausal Symptoms

→ ↓ Estrogen



Replace the Estrogen ← Alleviate



Estrogen → Some undesirable side effects

-
- ↑
add Progestins; *but not if there is hysterectomy*
- Selective ER-Modulators [SERMs]
- Phytoestrogens
- Androgens → *responsible for sexual arousal* → *given only if there is loss of libido & orgasm*

HRT


Given for short term; never exceed 5 years → to control menopausal symptoms without allowing ample time for malignant transition that might be induced by estrogen

No more preferred

~~Long-term~~ administration was only indicated in osteoporosis & CVS protection but now better drugs are available

1. ESTROGEN

In NATURE



As Therapy

- **Estradiol**; Oral bioavailability is low due to its rapid oxidation in the liver so used only in transdermal patch, intradermal implant,
- **Conjugated estrogens** \rightarrow mixture of Na salts of sulfate esters of estrone & equilin.
- **Esterified estrogens**



What does estrogen do?

It binds to its receptors

Types of Estrogen Receptors [ER]


ER α →

- > mediates female hormonal functions
- *Endometrium, breast, ovaries, hypothalamus,...*

ER β →

- > mediates other hormonal functions
- *brain, bone, heart, lungs, kidney, bladder, intestinal mucosa, endothelial cells,....*


Distribution of ER



Estrogens bind to ER (α or β) that exist either;

- Cytoplasmic; mediates its genomic actions → hrs – dys time scale
→ development, neuro- endocrines, metabolism
- Membranous; GPER → 2nd messenger → ↑ Ca or cAMP or ↑ MAP Kinase
- > mediates its non-genomic actions → sec – min. time scale → on NO, neuro- transmitters, endometrium,

Genomic effects



GPER; G protein ER
MAP Kinase; mitogen activated protein kinase that activate transcription factors to promote mitogenesis



INDICATIONS

A. In Menopause

Not given unless presence of symptoms; alone only after hysterectomy or with progestin as HRT (never exceed 5 yrs administration)

- Improves hot flushes & night sweats
- Controls sleep disturbance & mood swings by acting on NE, DA & 5HT at reticular formation
- Improves urethral & urinary symptoms by ↑ epithelial thickness & vascularity, collagen content at urethra & NE transmission that contract sphincters & relax detrusal muscles.
- Improves vaginal dryness by ↑ epithelial thickness & vascularity, collagen content (topical and systemic estrogens prep are effective)
- Increases bone density by ↓ osteoclastic activity.
- Progestins act synergistic by blocking cortico-steroid induced bone resorption. (Decrease incidence of hip fracture)



- Protects CVS; enhance vasodilatation via \uparrow NO production, & \uparrow HDL & \downarrow LDL thus \downarrow atherosclerosis & ischemic insults (HRT started at the beginning of menopause will prevent CVS problems) **HRT increases CVs problems (long term)**
- Improves insulin resistance & glycaemic control in diabetics.
- Improves cognitive function via \uparrow expression of ER in brain & by \downarrow amyloid deposition thus preventing Alzheimer 's.
- Delays parkinsonism by acting on DA system in midbrain.

B. Other Uses

- Contraception
- Primary ovarian failure
- Amenorrhea & Hirsutism caused by excess androgens



Administration

Oral:

- Conjugated equine
- Estradiol valerate
- Estriol succinate

Transdermal (estradiol):

- Patches → 24 hour twice weekly.
- Subcutaneous implant (estradiol) → 6 monthly.

Vaginal cream as such or as rings pessaries

ADRs

- Irregular vaginal bleeding (**patients discontinue HRT**).
- Nausea.
- Vaginal discharge.
- Fluid retention. Weight gain.
- Breast tenderness (**patients discontinue HRT**)..
- Spotting or darkening of skin (on face)



Contraindications

Absolute:

- Undiagnosed vaginal bleeding
- Severe liver disease
- Thromboembolic manifestations
- Cancer; endometrial, breast (hormone sensitive), ovarian.

Interactions

⊕ See contraception

⊕ NB. *If given with*


- SERMs → additive side effects for both drugs
- Aromatase inhibitors → ↓ efficacy
- Corticosteroids ↑ side effects

2. PROGESTINS

In NATURE

Produced by; Adrenal glands, Gonads, Brain, Placenta

Synthesis;
Induced by LH



As Therapy

- ✚ **Progesterone** is destroyed in GIT, so can be given only parentally
- ✚ **Progestins** are synthetic progestogens that have progestinic effects similar to progesterone but are not degraded by GIT.

Progestin preparations; as in contraceptive pills

Binds to its receptors

What does progesterone do?

↓ Two types of progesterone receptors [PR] → PR-A & PR-B
They could exist cytoplasmic → mediating genomic long term effects
or membranous → mediating non-genomic rapid effects

INDICATIONS

A. In Menopause As HRT, usually given in combination with estrogen Some use it alone in risk of cancer but does not ↓ all menopausal symptoms

- Protects against possibility of estrogen induced endometrial cancer
Estrogen → ↑ cell growth. If unopposed → endometrial cell lining can show (atypical hyperplasia)
Progesterone beneficially → matures endometrial cell lining (become differentiated) & ↑ apoptosis of atypical cells by activation of p53.
- Progesterone (natural) protects against breast cancer development by anti-inflammatory & apoptotic mechanisms, but this effect is not as clear with synthetic progestins. Mamography recommended every 6ms.
- Counteract osteoporosis, directly +ve osteoblasts

B. Other Uses

1. **Contraception (Estradiol + Progestins)**
2. **Dysmenorrhea**
2. **Menopausal symptoms (Estradiol + Progestins given together)**

Administration

- Oral; Micronized progesterone or progestins → see contraception
- IU; as Levonorgestrel or Progestasert
- Vaginal - natural progesterone gel / pessary.
- Transdermal - sequential / continuous patch.

ADRs

- **Mood changes, as anxiety, irritability**
- **Headache, dizziness or drowsiness**
- **Nausea, vomiting, abdominal pain or bloating (distention).**

Benefits and Risks of HRT

Definite benefits

- Symptoms of menopause (vasomotor, genitourinary)
- Osteoporosis (Definite increase in bone mineral density; probable decrease in risk of fractures)

Definite risks

- Endometrial cancer (estrogen only)
- Venous thromboembolism (long term)
- Breast cancer (long term 5 yrs)

Uncertain benefits

- Cognitive functions
- Note: the risk of CVS problems and breast cancer with HRT is more than their benefits)

3. SERMs Tamoxifen, Raloxifene (oral and non-hormonal)

- **Raloxifen** Antagonist in breast and uterus and agonist in bone.
- **Tamoxifen** Antagonist in breast and partial agonist in bone and endometrium.

An ideal SERM for use as HRT should be agonistic in brain, bone, CV system (not necessarily the liver), vagina & urinary system but antagonistic in breast & uterus

| | | Brain | Uterus | Vagina | Breast | Bone | CVS |
|------------------|-------------------|-------|--------|--------|--------|------|-----|
| + = agonist | Estradiol | ++ | ++ | ++ | ++ | ++ | ++ |
| - = antagonist | Ideal SERM | ++ | — | ++ | — | ++ | ++ |
| Not Ideal | Tamoxifen | — | + | — | — | + | + |
| | Raloxifene | — | — | — | — | ++ | + |

Tamoxifen → ↑ risk of venous thrombosis & tends to precipitate vaginal atrophy & hot flushes.

Raloxifene → has no effect on hot flushes or (very effective preventing vertebral bone fracture and CVs problems less compared to Estrogen) for osteoporosis use of bisphosphonate is better than SERMs

5. PHYTOESTROGENS

Supplements from plants; containing isoflavones (soya beans, flaxseeds) or lignans (whole grains). Avoid in estrogen dependent breast cancer

✚ They mimic action of estrogen on ER- β → alleviate symptoms related to hot flashes, mood swings, cognitive functions & possess CVS protective actions. (data limited on their efficacy).

6. ANDROGENS

✚ **Testosterone** is responsible for sexual arousal in females. It is given as the sole therapy to menopausal women in whom their menopausal symptoms are focused on **lack of sexual arousal**. It is given as adjuvant to combined estrogen & progestin if all other menopausal symptom exist.

N.B. Tibolone, can be effective in some women → has some androgen agonistic properties. (androgens use is not approved by FDA in women)

The Women's Health Initiative (WHI) and HRT

Menopausal Hormone Therapy

- For decades, hormone therapy widely used in menopausal symptoms.
- **Estrogen** has been used alone in menopausal women who **have had their uterus removed**.
- **Progestin**, the synthetic form of an estrogen-related hormone called progesterone, is combined with estrogen in menopausal women **who still have their uterus**.
- The Women's Health Initiative (WHI), **a 15-year research program launched in 1991**, addressed the most common causes of death, disability, and poor quality of life in postmenopausal women.
- **The research program examined the effectiveness of hormone replacement therapy in women**. In 2002, findings from two WHI clinical trials examined:
 - **The use of estrogen plus progestin in women with a uterus**
 - **The use of estrogen only in women without a uterus**.
- In both studies, women were randomly assigned to receive either the hormone medication or placebo.
- **In both studies, when compared with placebo, the hormone medication (whether estrogen plus progestin or estrogen only) resulted in an increased risk of stroke and blood clots**. In addition, the estrogen plus progestin medication resulted in an increased risk **of heart attack and breast cancer**.
- **These concerns are one reason that many women are turning to mind and body practices and natural products to help with menopausal symptoms.**

Non-hormonal agents used in management of menopausal symptoms

- Fluoxetine (SSRI)
- Clonidine (centrally acting antihypertensive)
- Gabapentin (anti-convulsant)
- Physical activity: exercise, smoking cessation and relaxation of mind will improve symptoms of menopause (e.g hot flashes) and fall preventing strategies prevents chances of fracture.



THANK YOU

