

1\ lucid interval is the period of :

- a. Concussion
- b. Amnesia
- c. Consciousness
- d. Profound coma
- e. ??

2\ concussion lasts for :

- a. Minutes
- b. 1h
- c. 6 h
- d. 12 h
- e. 12 – 24 h

3\ a man was hit by head of an axe will result in :

- a. Fissure fracture
- b. Depressed fracture
- c. Comminuted fracture
- d. Cut fracture
- e. ??

4\ brain compression due to fissure fracture:

- a. Traumatic injury
- b. Followed by concussion
- c. Caused by hemorrhage
- d. Caused by depressed bone
- e. ??

5\ brain contusion mean :

- a. Pia mater is opened
- b. Pia mater is lacerated
- c. There is skull bleeding
- d. There is skull fracture
- e. ??

6\ best sign for lateralization is :

- a. Weak rapid pulse
- b. Unequal constricted pupils
- c. Slow irregular pulse
- d. Loss of reflexes
- e. ??

7\ 39 y old man was involved in a car accident , he was diagnosed as brain compression , the diagnosis due to ! presence of :

- a. Constricted pupils
- b. Muscle twitch
- c. Slow full pulse
- d. Loss of reflexes
- e. ??

8\ a man sustained upper cut in ! head of mandible after boxing match , this can cause :

- a. Fissure fracture
- b. Depressed fracture
- c. Cut fracture
- d. Cut comminuted fracture
- e. Ring fracture

9\What is the most dangerous complication of depressed fractures :

- a. Concussion
- b. Intracranial hemorrhage
- c. Cerebral compression
- d. Cerebral laceration
- e. ??

10\ the handle of axe will cause :

- a. Fissure fracture
- b. Depressed fracture
- c. Cut fracture
- d. Cut comminuted fracture
- e. Polar fracture

11\ skull with multi injury was found in ! desert , there were bone erosion affect ! inner tables , the most likely cause of death :

- a. Brain compression
- b. Concussion
- c. Infection , sepsis
- d. Neurogenic shock
- e. ??

12\ a woman brought to ! ER with a Hx of head trauma since 3 hs , she was unconscious for seconds the best Rx is :

- a. Morphine for pain
- b. Observation for 24 hs
- c. Take care of Her BP
- d. Sedation
- e. ??

13\ a contra coup injury is a brain injury :

- a. Under ! impact point
- b. Due to depressed skull bone
- c. Caused by hemorrhage
- d. Opposite ! impact point
- e. Non of ! above

14 \ a man was involved in RTA , they Dx him as anterior fossa fracture , this is due to :

- a. Black eye
- b. Eye contusion
- c. Polar fracture
- d. Head injury
- e. ??

15\ ! commonest fate of concussion is :

- a. Korsakoff's psychosis
- b. Retrograde amnesia
- c. Post traumatic neurosis
- d. Death
- e. Complete recovery

16\ skull fracture that result from falling from high on ! buttock is :

- a. Comminuted
- b. Indirect fracture
- c. Polar
- d. Ring
- e. Depressed

17\ best method for Rx of barbiturate dependence is :

- a. Gradual withdrawal
- b. Abrupt withdrawal
- c. Use of antidotes
- d. Psychiatric therapy
- e. ??

18 \ cross dependence is ! ability of a drug to :

- a. Increase addiction
- b. Start withdrawal symptoms
- c. Stop dependence state
- d. Maintain ! addiction state
- e. ??

19 \ Nalline test is used for ! Dx of :

- a. Amphetamine dependence
- b. Alcohol dependence
- c. Cocaine dependence
- d. Opiates dependence
- e. ??

20 \ the most common complication of cocaine abused by sniffing is :

- a. Death
- b. Cerebral hemorrhage
- c. Nasal septal perforation
- d. Heart failure
- e. ??

21 \ the pulse in concussion is :

- a. Slow
- b. Slow & full
- c. Weak
- d. Weak & rapid
- e. ??

22\ concussion must be considered after :

- a. Head trauma
- b. Loss of consciousness
- c. Lacerated scalp injury
- d. Brain compression
- e. ??

23 \ the side of brain compression is best diagnosed by :

- a. Sudden loss of consciousness
- b. Unequal pupils
- c. Conjugate deviation of eyes
- d. Projectile effortless vomiting
- e. Weak reflexes

24 \ which of ! following best describe non automatic service rifle cartridge :

- a. Fire bullet
- b. Long rifled cartridge
- c. Has a rim @ ! base
- d. Has groove @ ! base
- e. ??

25 \ morphine dependence is best characterizes by :

- a. Constricted pupils
- b. Constipation
- c. Masked face
- d. Jaundice
- e. Anorexia

26\ cocaine dependence is best characterized by :

- a. Jaundice
- b. Tremor
- c. Mask face
- d. Dysdiadokinesis
- e. Tactile hallucinations

27 \ the most rapid form of poison is :

- a. Solid
- b. Gas
- c. Powder
- d. Solution
- e. ??

28\ the rapid effect of solvent abuse is due to :

- a. CNS depression
- b. CNS stimulation
- c. Low lipid solubility
- d. High lipid solubility
- e. ??

29 \ in uncomplicated stable case of poisoning best line of Rx is :

- a. Antishock measures
- b. Physiological antidots
- c. Supportive care
- d. Induction of vomiting
- e. ??

30 \ the most common complication of alcohol dependence is :

- a. Motor neuritis
- b. Liver cirrhosis
- c. Korsakoff's psychosis
- d. Gastritis
- e. ??

31\ idiosyncrasy mean :

- a. Normal response to a poison
- b. Sever poison
- c. Anaphylactic reaction
- d. Unexpected response to poison
- e. ??

32\ the most serious complication of solvent abuse is :

- a. Coma
- b. Neuritis
- c. Liver cirrhosis
- d. Kidneys damage
- e. CNS damage

33 \ the best clinical presentation to Dx tranquilizers abuse is :

- a. Hypothermia
- b. Mask face
- c. Renal failure
- d. Visual hallucination
- e. Jaundice

34 \ which of these is a hepatotoxic poison :

- a. Alcohol
- b. Atropine
- c. Morphine
- d. Amphetamine
- e. ??

35 \ in oblique firing , the inlet is :

- a. Rounded
- b. Oval
- c. Surrounding by powder marks
- d. Large than exit
- e. ??

36 \ which of ! found in inlet of far firing :

- a. Tattooing
- b. Loss of substance
- c. Everted edge
- d. Burn
- e. ??

37 \ cyanide poisoning is ineffective in cases :

- a. Taking low dose
- b. Have low acid in stomach
- c. Have hyperacidity
- d. No acid in stomach – achloride
- e. ??

38 \ anabolic adrenogenic steroids is abused by :

- a. Athletes
- b. Young in clubs
- c. Drivers
- d. Heroin abusers ( adductors )
- e. Cancer patients

39 \ a lady was shout by a revolver at a distance of 2m , inlet would be :

- a. Inverted edge
- b. Large than exit
- c. Blackened
- d. Regular in shape
- e. ??

40 \ a man was shouted by Remington gun at a distance of 1 m , x-ray will show :

- a. Rounded shouts
- b. Rounded shouts & outer wad
- c. Semi cubical shouts
- d. Semi cubical shouts & inner wad
- e. ??



41 \ the inlet of contact firearm injury is best described by ! presence of :

- a. Inverted edge
- b. Everted edge caused by gases
- c. Muzzle shaped burning
- d. Minimal powder markers
- e. ??

42 \ outer wad enters ! body at ! distance of :

- a. 50 cm
- b. 2m
- c. 3m
- d. 5m
- e. 10m

43 \ greener guns are :

- a. Non rifled weapon
- b. Long non rifled weapon
- c. Fire shots
- d. Long rifled weapon
- e. ??

44 \ the automatic service rifle weapons :

- a. Long rifled
- b. Fire bullets
- c. Fire shots
- d. Rifled weapon
- e. ??

45 \ beveling of bones caused by :

- a. Bullets
- b. Powder markers
- c. Contact firing
- d. Gases
- e. ??

46 \ which guns fire semi cubical slugs :

- a. Greener
- b. Revolvers
- c. Sporting
- d. Schneider
- e. ??

47 \ powder markers are most helpful in Dx of :

- a. Type of weapon
- b. Homicidal death
- c. Suicidal death
- d. Direction of firing
- e. Inlet

48 \ which is ! best Dx for amphetamines dependence :

- a. Jaundice
- b. Masked face
- c. Auditory hallucinations
- d. Tactile hallucination
- e. Dilated pupils

49 \ beveling of bones caused by :

- a. Bullets
- b. Powder markers
- c. Gases
- d. Contact firing
- e. ??

50 \ barbiturate dependence is best characterized by :

- a. Jaundice
- b. Tremor
- c. Masked face
- d. Dysdiadochokinesis
- e. Renal manifestations

Done by :

MerMaiD & VOL