Clinical Data

Amr Jamal, MD, SBFM, ABFM, MRCGP, GCMI, MBI
Assistant Professor and Consultant
Family Physician and Clinical Informatician
Head of Medical Informatics & e-Learning Unit (MIELU)
King Saud University, College of Medicine
September 2014



What are clinical data? [1]

- A datum is a single observation of a patient
- Clinical data are a collection of observations about a patient
- Each datum has four elements:
 - the patient (Amr Jamal)
 - the attribute (heart rate)
 - the value of the attribute (52 beats per minute)
 - the time of the observation (1:00 pm on 1/1/2011) or should that be 1/1/2011?



Types of clinical data [1]

- * Narrative: recording by clinician- maternity history
- * Numerical measurements: blood pressure, temperature
- * Coded data:selection from a controlled terminology system
- * Textual data: other results reported as text
- * Recorded signals: EKG, EEG
- * Pictures: radiographs, photographs, and other images



Use of clinical data [1]

- * Form basis of historical record
- * Support communication among providers
- * Anticipate future health problems
- * Record standard preventive measures
- * Coding and billing
- * Provide a legal record
- * Support clinical research



Types of clinical data documents [1]

- * History and physical examination:
 - * by a clinician
- * Progress notes
 - update of progress by primary, consulting, and ancillary providers
- * Reports
 - by specialists, ancillary providers
- * Typical paper chart maintains all patient notes in chronological order, sometimes separated into different components



Assessment of a stable patient [1]

- * Chief complaint
- * History of the present illness
- * Past medical history
- * Social history
- * Family history
- * Review of systems
- * Physical examination
- * Investigations -lab, x-ray, other
- * Assessment
- * plan



Some complications of data [1]

- * Circumstances of observation e.g., how was heart rate taken? pulse? EKG?
- * Uncertainty

how accurate is patient reporting, measurement, device?

* Time what level of specificity do we need?




Some complications of data[2]

- * **Duplication** e.g., multiple records in different departments
- * Outdated e.g. missing values
- * Incorrectly formatted does not follow standards



Imprecision vs. Inaccuracy [1]





Structure of clinical data [1]

- * Medicine lacks uniform structured vocabulary and nomenclature
- * Standardization and computerization of data is benefited by standard representations (Cimino, 2007)
- * Counter-arguments are "freedom of expression" and "art of medicine"
- * Narrative information can be expressed in many ways, can be ambiguous



Date:

Personal History: Name: Age: Nationality: □ Saudi □ Other: Sex: □ male □ female Occupation: Marital Status: □ Single □ married □ Other: Residence:			
Admission Date: Admission type: Emergency Elective Ward / Bed:			
The Complaint:			
laint(s)	1.	2.	3.
ion			
History of Presenting Illness:			
tion			
e			
ency			
time			
ty			



We need better access to clinical data [1]

- * Missing clinical information during primary care visits (Smith, 2005)
 - * Information reported missing in 13.6% of clinical visits
 - * Available but outside system in 52% of instances
 - * Estimated to adversely effect patients 44% of time
 - * Unsuccessful searching for it took >5 minutes 35% of time
- * Physicians have two unmet information needs for every three patients (Gorman, 1995; Ely, 1999)
- * Secondary use of clinical data (Safran, 2007)




Data entry [1]


- * General categories of data entry:
 - * Free-form entry by historical methods:
 - * writing
 - * dictation
 - * Typing
 - Structured (menu-driven)
 data entry by mouse or pen
 - * **Speech** recognition for either of above





ORCA CPOE order screen





Structured or menu-driven data entry


- * Many attempts from old (Greenes, 1970; Cimino, 1987; Bell, 1994) to new (Oceania; OpenSDE -Los, 2005)
- Can be done via mouse or pen, with typing
- * Benefits
 - * Data codified for easier retrieval and analysis
 - Reduces ambiguity if language used consistently
- * Drawbacks
 - * In general, more time-consuming
 - * Requires exhaustive vocabulary
 - * Requires dedication to use by clinicians
- * Alternative: Processing free text with natural language process ing and tagging text (in XML)? (Johnson, 2008)

Speech recognition for data entry [1]

- * Most common use is for narration
 - * e.g., computer dictation of clinical notes
- An advantage is instant availability of dictated content
- Continuous speech recognition now is commercial reality
 - Speaker-dependent systems require user training
 - * speaker-independent are systems less accurate
- * Many established systems on the market that operate on:
 - * front-end (used by clinician) or
 - back-end (process dictations) (Brown, 2008)









Coded vs. free-text data [1]

* Coded data:

* Documentation of discrete data from controlled vocabulary

* Free text:


Alphanumeric data that are unstructured, typically in narrative form



Narratives tell a story.

- * A narrative tells a story
 - * See the patient through a description
 - * Complicated events are easier to describe in text
- * Undifferentiated problems
 - * Interpretation.
 - * "only a human can prioritize and determine what the chief complaint really is"





Liverpool Hospital Neonatal Database - Clinical Data Entry Ian TEST DOB 28/2/2008 GA 26+2 BW 1070 Liverpool 2170 MRN 123432 Day 33 - Corrected 6A 31+0 1250g on 01/04 Files (0) Images (2) Calculator ATTENTION: Brain scan overdue: Admissions Respiratory Other Treatments Test Results Nutrition Current Status Respiratory Support Admission Planning Discharge CPAP /5, FIO2 29 Admitted: 28/02/08 at 4 hours Liverpool Hospital 76% HC 25.5 71% Length 35 Weight 1070 Admission Corr.GA 26 Age 0 Fluids / Feeds MRN 123432 Date & Time 28/02/2008 16:30 Hospital Liverpool Hospital 160 ml/kg/day TPN 10% Fat 3q NICU Reason(s) for Prematurity Bed 14x2 EBM 24cal (134) Admission Consultant [Ian Calander Insurance Hospital Respiratory Distress Joundice 09/03 SBr 135 Biliblanket MATERNAL HISTORY ceased 08/03 Ann is a 28 year old G2 P1 (now) woman whose blood group is O positive. She was booked to deliver at Campbelltown Hospital Other under the care of Kaisher however delivered at Liverpool Hospital under the care of Dr Peter Hammill. She had a history of essential 01/03 Mod PDA hypertension. This pregnancy was complicated by hypertension of pregnancy, fetal growth restriction, Bilateral Renal Pelvis dilatation POSSIBLE NEC 5 - 10mm, GBS +ve swab, fever, abnormal Dopplers, prolonged rupture of membranes for 2 days, clinically suspected chorioamnionitis. Ann was treated with antenatal steroids, tocolytics, and anthypertensive drugs. Following the spontaneous onset of labour, she proceeded to a vaginal delivery. Antibiotics were given before delivery. Treatments PERINATAL HISTORY Pentavite, Folic Acid Ian was born at 13:00 hours with a birth weight of 1070 grams (76th centile). Appars were 3 at 1 minute and 7 at 5 minutes Longline, respectively treated with intubation and ventilation. The arterial cord pH was 7.24 and the base excess -6. Ian was then retrieved to Added to Worksheet 01/03 Orders on Worksheet 01/03 This is freetext Freetext orders (double click on Test Results text to delete) 09/03 Na 136 09/03 Hb 135 09/03 Plat 265 MRN Admitted Discharged Hospital Episodes Add Another Admission 02/03 HUS IVH II Liverpool Hospital 123432 28 Feb 2008 16:30 01/04 Eyes ROP I PD12345 28 Feb 2008 15:00 28 Feb 2008 16:30 NETS Opened 01 Apr 12:27 Delete MRN .. then click again to Campbelltown Hospital 28 Feb 2008 13:00 28 Feb 2008 15:00 222222 Delete Episode Add Twin 馿 local form

Issues with coded data

- * "pick from a list" allows wrong selection
- * Compliance concerns
- * Over documentation for care
- * cloning



Coded clinical data enables EHR advanced functionality

- * Alerts
- * Clinical Decision Support
- * Best documentation practices
- * Multi-media reporting
- * Multiple output formats
- * Data mining



Data Management [2]

File Organization concepts

- Database: A set of related files
- File: Collection of records of same type
- Record: A set of related field
- Field: Words and numbers



Registration Radiology Database Financial **Medical Summary** Name Age File Abdullah AlSaif BP 21 Acid Reflux Khalid AlQahtani 34 Maryam Badr 42 Pneumonia Reem Alowais 32 Allergies Record Name **Medical Summary** Age Abdullah AlSaif BP 21 Field BP (Medical summary field)




Relational DBMS [1]

- Relational model links records to tables
- Allows efficiencies
- One-time information (e.g., demographics) stored only once
- Complex queries easier to construct and carry out
- Most query capabilities are based on Structured Query Language (SQL)- special language in relational database



Relational DBMS [2]









Big Data [3]

- * Science of Data Management & analysis
- * "to convert Vast information and knowledge in organisation to achieve their objectives" (Murdoch et al, 2013*)
- * What is **BIG/VAST**? Zettabytes (10^21 gigabytes) to Yottabytes (10^24 gigabytes)
- * Used in Astronomy, Search Engines, Financial, Politics and now in Biomedicine
- Example of Big Data is Bioinformatics (genome, proteomic)





The FOUR V's of Big Data [3]



THE BELLOW GRAPHTES T



As of 2011, the global size of data in healthcare was estimated to be



420 MILLION WEARABLE, WIRELESS HEALTH MONITORS 4 BILLION+

Variety

DIFFERENT FORMS OF DATA



are watched on

HOURS OF VIDEO

By 2014, it's anticipated

there will be

PIECES OF CONTENT are shared on Facebook



30 BILLION







are sent per day by about 200 million monthly active users

1 IN 3 BUSINESS

don't trust the information they use to make decisions



Poor data quality costs the US economy around

\$3.1 TRILLION A YEAR



in one survey were unsure of how much of their data was

Veracity UNCERTAINTY OF DATA





NETWORK CONNECTIONS - almost 2.5 connections per person on earth

Big Data in healthcare [3]

- * "80% of medical data is unstructured and is clinically relevant.
- * The data reside in multiple places like individual EMRs, lab and imaging systems, physician notes, medical correspondence, claims, customer relations management systems and finance."



Sources of BIG DATA [4]

- * Clinical Data from CPOE
- * Clinical decision support systems (Written notes & prescriptions)
- * Imaging systems: PACS, Radiology Information systems
- Sensor data (monitoring vital signs)
- Social media data- Tweets from Twitter, wall and status updates on Facebook
- * Emergency care data
- Literature from medical journal



Healthcare BIG data problems to be solved [4]

- * Patient profiles and the health outcomes- identify the effective treatments
- * For public health- identify individuals who would get preventive care or lifestyle changes
- * Analysing literature on medical procedure to determining which care protocols work best
- * Creating mobile apps to manage diabetes. Via Data analytics, we are able to monitor the healthcare outcomes improvements
- * Analysing social network communication among support group members- to understand how non-profit organization can interact and provide help



In summary,

- * Types of clinical data
- * Types of clinical data documents
- * Use of clinical data
- * Access to clinical data
- * Data entry
- * Coded vs. free-form data
- * Speech recognition
- * Big Data
- * Database Management



Acknowledgement



* Notes are <u>adapted with permission</u> from Professor Hersh, Oregon Health and Science University (OHSU), Oregon, USA



References



- [1] Hersh, W. (2014). Notes from 10x10 Medical Informatics certificate, Oregon Health & Science University
- [2] Laudon & Laudon (2011), Management Information Systems, Prentice Hall
- [3] IBM website:http://www-01.ibm.com/software/data/bigdata/what-is-big-data.html
- [4] Ragupathi W. & Ragupathi V. (2014). Big Data Analytics in Healthcare: Promise and Potential. Health Information Science and Systems

http://www.hissjournal.com/content/2/1/3

