Nasogastric Tube

https://drive.google.com/file/d/1ZBmstGUvEiBfJo-vg0Jfe7T9gd6oKkaE/view?usp=sharing

- WIPE. (البيشنت رفض العملية هذي ف وش راح تسوي وقتها ؟ تحاول تقنعه ان العملية مهمة وإنك تتفهم انها ما راح تكون مريحة له
 لكن لو مو ضرورية ما راح تدخله انت بالمشاكل هذي)
- First start by preparing your equipment (بالاختبار يقول الدكتور مو شرط يكون كل شيء جاهز ممكن تكون الأشياء على الطاولة و
 انت تجمعها)
- You gonna need (gloves, syringe, lubricant, tape, nasal tube, torch, avocaine spray (not necessary))
- Before wearing your gloves prepare your tapes. (One to mark your point on the tube and two for placing the tube)
- Start by measuring the tube. (tip of the nose, behind the patient's ear and two fingers above the umbilicus)
- Mark your point with a tape or a pin it doesn't matter.
- Check if the nostrils are clean and you can spray avocaine if you want to but it's not really important.
- Soak the tube in lubricant then ask the patient to drink water while inserting the tube.
- With the manikin you'll be pulling the epiglottis and remember you have to pull and release just like if it was a real patient. و عادي حتى مع المانكن تكلم كأنك مع بيشنت صدق و كل شوى تقوله اشرب مويه
- Don't stand in front of the manikin and don't look at its stomach to check if the tube is inside. الدكتور قال يقيمون على هذي
- Stand next to it and stop inserting when you reach your mark.
- Pull 20 CC of air and the put your stethoscope at its abdomen and inject air, you're supposed to be hearing bubbles. (بالاوسكي قالوا راح يحطون مويه بالمانكن ف راح نسمع ببلز صدق)
- Place your tapes and make sure that the tube is not moving.
- Connect it to the bag and mention that you'll document date, time and patient's ID then you'll send the patient to x-ray. remember the tube is not supposed to be inserted for more than 48 hours.
- ولا تنسون تنظفون المكان و ترجعون كل شيء زي ما كان بعد ما تخلصون الدكتور تقول تنحط النقطة هذي بالتقييم.

Done by: Abdulaziz Alhammad and Ahmed Al Yahya.