

CASE (1)

- A mother came to your clinic with her 4 months old baby for the well-baby clinic, he is due for vaccination. His pre, peri and postnatal history are not significant. On examination: He is febrile T.38 °C, mild throat congestion and clear chest. Other examinations are normal.
- How will you proceed with the consultation?

CASE (2)

 9 months-old-girl was brought by her parents to your clinic with cough, wheezy breathing and runny nose for 2 days. O/E T.38.1°C, congested throat, chest, occasional wheeze. The Child is active and feeding well. Parents are worried about giving vaccination to their child, how are you going to deal with the parents, and will you vaccinate the child?

CASE (3)

- A parents are concerned about MMR vaccine and that it cause autism, as they read something about that.
- What would you tell them?

CASE (4)

- A child was brought by his parents at the age of 9 months. The last vaccine he received was at the age of 4 months.
- What will you do?

CASE (5)

 A concerned mother consult you about her 1 year old child, she is not sure if he had received BCG vaccine. Which arm you are going to examine in the child and why?

CASE (6)

 A child is due for MMR vaccine at the age of 12 months. The mother ask you about its side effects. What are your going to tell her?

CASE (7)

 A parents are concerned "Our teen is a student-athlete and already had COVID-19, so does he need the COVID-19 vaccine? We are worried about myocarditis". What are your going to tell them?

CASE (8)

 A 45 years male came to your clinic and asked if he can get a flu vaccine at the same time with COVID-19 vaccine. What are your going to tell him?

Thank You