

**CMD 305 - COURSE  
(RESEARCH METHODOLOGY & BIOSTATISTICS)  
TUTORIAL TOPIC : Sample size estimation(Exercise)**

---

Q1) We want to estimate the mean hemoglobin of Saudi females. The standard deviation is around 5 grams/deciliter and we wish to estimate the true mean to within 2 grams/deciliter with 95% confidence. What is the required sample size?

Q2) A researcher wanted to estimate of average number of cigarettes smoke per week by under graduate students studying in a certain city. How many students are to be selected in to the sample such that the estimate of mean number of cigarettes smoke is to be within 2 of the true average with 95% confidence? (Based on a pilot study, it was found that the Sd., of number of cigarettes smoke is 30).

Q3) We wish to estimate the proportion of Saudi males who smoke. What sample size do we require to achieve a 95% confidence interval of width  $\pm 5\%$  ( that is to be within 5% of the true value) ? A study some years ago found approximately 30% were smokers?

Q4) An epidemiologist was asked to asked to estimate the Knowledge level (%) towards Covid19 in a particular community. How many subjects he should select, if the resulting estimate is to fall within 10 %( width of confidence interval) of the true proportion with 95% confidence?. What will happen to sample size if width of confidence interval is 5 %. (As no literature is available researcher assumes that only 30% of subjects had good knowledge level)

Q5) An epidemiologist wants to test whether a iron supplement for pregnant women will increase the increase their Hb level. One group of women will receive new supplement and the other group the usual supplement. From a pilot study the sd of Hb is 4 g/dl and is assumed to be same for both groups.. what is the sample size required to test the hypothesis of no difference in mean Hb level at 99% level of confidence and 90% power of detecting an increase of 2 g/dl.

Q6. Suppose it has been estimated that the rate of caries is 800 per 1000 school children in one district and 600 per 1000 in another district. What is the sample size required from each district to determine whether the difference is significant at the 95% level if we wish to have an 90% of chance of detecting the difference if it is real?

Q7.Calculate the sample size for your research study. First write down in your own words the sample size requirements for your research study in the form of a question. (Hint: follow the method as shown in the Questions 1 to 6 above. Next In your write up, give whether your outcome variable is continuous or categorical variable and whether it is descriptive or comparison of two groups)

## Sample size formulae

A) If outcome variable is quantitative/continuous then outcome measure is **mean**  
Example: Height, weight, BMI, HB, BP etc.,

### For a single mean:

Sample size : $n = Z_{\alpha}^2 S^2 / d^2$

Where , S (=sd, get from the literature review or from the pilot study )

### For two means:

Sample size : $n = 2S^2 (Z_{\alpha} + Z_{\beta})^2 / d^2$ , per arm

Where , S (=sd, get from the literature review or from the pilot study )

B) If outcome variable is qualitative/categorical then outcome measure is **proportion**  
Example: proportion of smokers, diabetes, anemia etc.,

### For a single proportion

Sample size:  $n = Z_{\alpha}^2 P(1-P)/d^2$

Where , P (=proportion, get from the literature review or from the pilot study )

### For two proportions

Sample size :

$$n = \frac{(Z_{\alpha} + Z_{\beta})^2 ((p_1 q_1) + (p_2 q_2))}{(p_1 - p_2)^2} \text{ per arm, where } q_1 = (1 - p_1), q_2 = (1 - p_2)$$

Where ,  $P_1$  and  $P_2$ ( are proportions for group1 and group2 we are studying ,for example , obese- non obese, smokers-non smokers etc., , get from the literature review or from the pilot study )

**d = precision ( the researcher has to decide)**

$Z_{\alpha} = 1.96$  for 95% confidence level, usually

$Z_{\beta} = 1.282$  for 90% power, usually

<b>TABLE 1A</b>	<b>SAMPLE SIZES FOR A SINGLE MEAN FOR VARIOUS d and sd for 95% level, Za=1.96</b>																			
<b>sd</b>	<b>d</b>																			
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>	<b>17</b>	<b>18</b>	<b>19</b>	<b>20</b>	
<b>1</b>	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
<b>2</b>	16	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
<b>3</b>	35	9	4	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
<b>4</b>	62	16	7	4	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	
<b>5</b>	97	24	11	7	4	3	2	2	2	1	1	1	1	1	1	1	1	1	1	
<b>6</b>	139	35	16	9	6	4	3	3	2	2	2	1	1	1	1	1	1	1	1	
<b>7</b>	189	48	21	12	8	6	4	3	3	2	2	2	1	1	1	1	1	1	1	
<b>8</b>	246	62	28	16	10	7	6	4	4	3	3	2	2	2	1	1	1	1	1	
<b>9</b>	312	78	35	20	13	9	7	5	4	4	3	3	2	2	2	2	1	1	1	
<b>10</b>	385	97	43	25	16	11	8	7	5	4	4	3	3	2	2	2	2	2	1	
<b>11</b>	465	117	52	30	19	13	10	8	6	5	4	4	3	3	2	2	2	2	2	
<b>12</b>	554	139	62	35	23	16	12	9	7	6	5	4	4	3	3	2	2	2	2	
<b>13</b>	650	163	73	41	26	19	14	11	9	7	6	5	4	4	3	3	3	2	2	
<b>14</b>	753	189	84	48	31	21	16	12	10	8	7	6	5	4	4	3	3	3	2	
<b>15</b>	865	217	97	55	35	25	18	14	11	9	8	7	6	5	4	4	3	3	3	
<b>16</b>	984	246	110	62	40	28	21	16	13	10	9	7	6	6	5	4	4	3	3	
<b>17</b>	1111	278	124	70	45	31	23	18	14	12	10	8	7	6	5	5	4	4	3	
<b>18</b>	1245	312	139	78	50	35	26	20	16	13	11	9	8	7	6	5	5	4	4	
<b>19</b>	1387	347	155	87	56	39	29	22	18	14	12	10	9	8	7	6	5	5	4	
<b>20</b>	1537	385	171	97	62	43	32	25	19	16	13	11	10	8	7	7	6	5	4	
<b>21</b>	1695	424	189	106	68	48	35	27	21	17	15	12	11	9	8	7	6	5	5	
<b>22</b>	1860	465	207	117	75	52	38	30	23	19	16	13	12	10	9	8	7	6	5	
<b>23</b>	2033	509	226	128	82	57	42	32	26	21	17	15	13	11	10	8	8	7	6	
<b>24</b>	2213	554	246	139	89	62	46	35	28	23	19	16	14	12	10	9	8	7	6	
<b>25</b>	2401	601	267	151	97	67	49	38	30	25	20	17	15	13	11	10	9	8	7	
<b>26</b>	2597	650	289	163	104	73	53	41	33	26	22	19	16	14	12	11	9	8	7	
<b>27</b>	2801	701	312	176	113	78	58	44	35	29	24	20	17	15	13	11	10	9	8	
<b>28</b>	3012	753	335	189	121	84	62	48	38	31	25	21	18	16	14	12	11	10	9	
<b>29</b>	3231	808	359	202	130	90	66	51	40	33	27	23	20	17	15	13	12	10	9	
<b>30</b>	3458	864	385	217	139	97	71	55	43	35	29	25	21	18	16	14	12	11	10	
<b>31</b>	3692	923	411	231	148	103	76	58	46	37	31	26	22	19	17	15	13	12	11	
<b>32</b>	3934	984	438	246	158	110	81	62	49	40	33	28	24	21	18	16	14	13	11	
<b>33</b>	4184	1046	465	262	168	117	86	66	52	42	35	30	25	22	19	17	15	13	12	
<b>34</b>	4441	1111	494	278	178	124	91	70	55	45	37	31	27	23	20	18	16	14	12	
<b>35</b>	4706	1177	523	295	189	131	97	74	59	48	39	33	28	25	21	19	17	15	14	
<b>36</b>	4979	1245	554	312	200	139	102	78	62	50	42	35	30	26	23	20	18	16	14	
<b>37</b>	5260	1315	585	329	211	147	108	83	65	53	44	37	32	27	24	21	19	17	15	
<b>38</b>	5548	1387	617	347	222	155	114	87	69	56	46	39	33	29	25	22	20	18	16	
<b>39</b>	5844	1461	650	366	234	163	120	92	73	59	49	41	35	30	26	23	21	19	17	
<b>40</b>	6147	1537	683	385	246	171	126	97	76	62	51	43	37	32	28	25	22	19	18	

TABLE 1B	SAMPLE SIZES FOR A SINGLE PROPORTION										FOR VARIOUS P and d for 95% level, Za=1.96									
	d																			
P	0.05	0.10	0.15	0.20	0.25	0.30	0.35	0.40	0.45	0.50	0.55	0.60	0.65	0.70	0.75	0.80	0.85	0.90	0.95	1.00
0.01	16	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
0.02	31	8	4	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
0.03	45	12	5	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
0.04	60	15	7	4	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1
0.05	73	19	9	5	3	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1
0.06	87	22	10	6	4	3	2	2	2	1	1	1	1	1	1	1	1	1	1	1
0.07	101	26	12	7	5	3	3	2	2	2	1	1	1	1	1	1	1	1	1	1
0.08	114	29	13	8	5	4	3	2	2	2	1	1	1	1	1	1	1	1	1	1
0.09	126	32	14	8	6	4	3	2	2	2	2	1	1	1	1	1	1	1	1	1
0.1	139	35	16	9	6	4	3	3	2	2	2	1	1	1	1	1	1	1	1	1
0.11	151	38	17	10	7	5	4	3	2	2	2	1	1	1	1	1	1	1	1	1
0.12	163	41	19	11	7	5	4	3	3	2	2	2	1	1	1	1	1	1	1	1
0.13	174	44	20	11	7	5	4	3	3	2	2	2	2	1	1	1	1	1	1	1
0.14	186	47	21	12	8	6	4	3	3	2	2	2	2	1	1	1	1	1	1	1
0.15	196	49	22	13	8	6	4	4	3	2	2	2	2	1	1	1	1	1	1	1
0.16	207	52	23	13	9	6	5	4	3	3	2	2	2	2	1	1	1	1	1	1
0.17	217	55	25	14	9	7	5	4	3	3	2	2	2	2	1	1	1	1	1	1
0.18	227	57	26	15	10	7	5	4	3	3	2	2	2	2	2	1	1	1	1	1
0.19	237	60	27	15	10	7	5	4	3	3	2	2	2	2	2	1	1	1	1	1
0.2	246	62	28	16	10	7	6	4	4	3	3	2	2	2	2	1	1	1	1	1
0.21	255	64	29	16	11	8	6	4	4	3	3	2	2	2	2	1	1	1	1	1
0.22	264	66	30	17	11	8	6	5	4	3	3	2	2	2	2	1	1	1	1	1
0.23	273	69	31	18	11	8	6	5	4	3	3	2	2	2	2	1	1	1	1	1
0.24	281	71	32	18	12	8	6	5	4	3	3	2	2	2	2	1	1	1	1	1
0.25	289	73	33	19	12	9	6	5	4	3	3	2	2	2	2	1	1	1	1	1
0.26	296	74	33	19	12	9	7	5	4	3	3	3	2	2	2	2	1	1	1	1
0.27	303	76	34	19	13	9	7	5	4	4	3	3	2	2	2	2	1	1	1	1
0.28	310	78	35	20	13	9	7	5	4	4	3	3	2	2	2	2	1	1	1	1
0.29	317	80	36	20	13	9	7	5	4	4	3	3	2	2	2	2	1	1	1	1
0.3	323	81	36	21	13	9	7	6	4	4	3	3	2	2	2	2	1	1	1	1
0.31	329	83	37	21	14	10	7	6	5	4	3	3	2	2	2	2	1	1	1	1
0.32	335	84	38	21	14	10	7	6	5	4	3	3	2	2	2	2	1	1	1	1
0.33	340	85	38	22	14	10	7	6	5	4	3	3	2	2	2	2	1	1	1	1
0.34	345	87	39	22	14	10	8	6	5	4	3	3	3	2	2	2	2	1	1	1
0.35	350	88	39	22	14	10	8	6	5	4	3	3	3	2	2	2	2	1	1	1
0.36	355	89	40	23	15	10	8	6	5	4	3	3	3	2	2	2	2	1	1	1
0.37	359	90	40	23	15	10	8	6	5	4	3	3	3	2	2	2	2	1	1	1
0.38	363	91	41	23	15	11	8	6	5	4	4	3	3	2	2	2	2	1	1	1
0.39	366	92	41	23	15	11	8	6	5	4	4	3	3	2	2	2	2	1	1	1
0.4	369	93	41	24	15	11	8	6	5	4	4	3	3	2	2	2	2	1	1	1

Table 2A

## SAMPLE SIZES for two means for various values of d and sd

Za for 99% level=2.58

Zb for 90% power = 1.28

d

Sd	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
<b>1</b>	30	7	3	2	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
<b>2</b>	119	30	13	7	5	3	2	2	1	1	1	1	1	1	0	0	0	0	0	0	
<b>3</b>	268	67	30	17	11	7	5	4	3	3	2	2	2	1	1	1	1	1	1	1	
<b>4</b>	477	119	53	30	19	13	10	7	6	5	4	3	3	2	2	2	2	1	1	1	
<b>5</b>	745	186	83	47	30	21	15	12	9	7	6	5	4	4	3	3	3	2	2	2	
<b>6</b>	1073	268	119	67	43	30	22	17	13	11	9	7	6	5	5	4	4	3	3	3	
<b>7</b>	1460	365	162	91	58	41	30	23	18	15	12	10	9	7	6	6	5	5	4	4	
<b>8</b>	1907	477	212	119	76	53	39	30	24	19	16	13	11	10	8	7	7	6	5	5	
<b>9</b>	2414	603	268	151	97	67	49	38	30	24	20	17	14	12	11	9	8	7	7	6	
<b>10</b>	2980	745	331	186	119	83	61	47	37	30	25	21	18	15	13	12	10	9	8	7	
<b>11</b>	3606	901	401	225	144	100	74	56	45	36	30	25	21	18	16	14	12	11	10	9	
<b>12</b>	4291	1073	477	268	172	119	88	67	53	43	35	30	25	22	19	17	15	13	12	11	
<b>13</b>	5036	1259	560	315	201	140	103	79	62	50	42	35	30	26	22	20	17	16	14	13	
<b>14</b>	5841	1460	649	365	234	162	119	91	72	58	48	41	35	30	26	23	20	18	16	15	
<b>15</b>	6705	1676	745	419	268	186	137	105	83	67	55	47	40	34	30	26	23	21	19	17	
<b>16</b>	7629	1907	848	477	305	212	156	119	94	76	63	53	45	39	34	30	26	24	21	19	
<b>17</b>	8612	2153	957	538	344	239	176	135	106	86	71	60	51	44	38	34	30	27	24	22	
<b>18</b>	9655	2414	1073	603	386	268	197	151	119	97	80	67	57	49	43	38	33	30	27	24	
<b>19</b>	10758	2689	1195	672	430	299	220	168	133	108	89	75	64	55	48	42	37	33	30	27	
<b>20</b>	11920	2980	1324	745	477	331	243	186	147	119	99	83	71	61	53	47	41	37	33	30	
<b>21</b>	13141	3285	1460	821	526	365	268	205	162	131	109	91	78	67	58	51	45	41	36	33	
<b>22</b>	14423	3606	1603	901	577	401	294	225	178	144	119	100	85	74	64	56	50	45	40	36	
<b>23</b>	15764	3941	1752	985	631	438	322	246	195	158	130	109	93	80	70	62	55	49	44	39	
<b>24</b>	17164	4291	1907		107 3	687	477	350	268	212	172	142	119	102	88	76	67	59	53	48	43
<b>25</b>	18625	4656	2069		116 4	745	517	380	291	230	186	154	129	110	95	83	73	64	57	52	47

**Table 2B** Sample sizes for 95% Confidence level, ( $Z\alpha=1.96$ ) and for 90% Power ( $Z\beta= 1.282$ ) Here P1 is Larger proportion and P2 is Smaller proportion