Neuro-ophthalmology Review Second Hour

Thomas M. Bosley, MD Professor of Ophthalmology King Saud University


Neuro-ophthalmology

- Afferent
- Efferent
- Other


- Anatomy
- Examination
- Diagnoses
- Tests


Efferent Neuro-anatomy







Efferent Neuro-anatomy







Efferent Neuro-anatomy






Efferent Skull Anatomy






Efferent Skull Anatomy




Orbit Pathology



Orbit Pathology





- Just look at patient
- Movements of both eyes in all directions
- Smooth pursuit
- Saccades

- Just look at patient
- Movements of both eyes in all directions
- Smooth pursuit
- Saccades

Are eyes straight?

What are the lid positions?

Are the eyes proptotic?

Are there any spontaneous eye movements



Are eyes straight? What are the lid positions? Are the eyes proptotic? Are there any spontaneous eye movements



Are eyes straight? What are the lid positions? Are the eyes proptotic? Are there any spontaneous eye movements



Are eyes straight? What are the lid positions? Are the eyes proptotic? Are there any spontaneous eye movements



Are eyes straight? What are the lid positions? Are the eyes proptotic? Are there any spontaneous eye movements

- Just look at patient
- Movements of both eyes in all directions
- Smooth pursuit
- Saccades

Have the patient move eyes in all directions, not just the direction where you think there is a problem.

Hold lids if necessary (only after looking first without holding lids)


Examine each eye separately if necessary



Have the patient move eyes in all directions, not just the direction where you think there is a problem.

Hold lids if necessary (only after looking first without holding lids)

Examine each eye separately if necessary



Have the patient move eyes in all directions, not just the direction where you think there is a problem.

Hold lids if necessary (only after looking first without holding lids)

Examine each eye separately if necessary





10 yo girl

- Born with weakness of the face
- Parents noticed unusual eye movements at early age
- No family history





10 yo girl

- Bilateral Mobius syndrome, R>L
- Possible congenital injury to 3rd CN OD



- Just look at patient
- Movements of both eyes in all directions
- Smooth pursuit
- Saccades

The reflex that helps to maintain fixation on an object in motion in the visual world while the head is stable

Also the reflex that inhibits the vestibulo-ocular reflex

- Just look at patient
- Movements of both eyes in all directions
- Smooth pursuit
- Saccades

The reflex that permits a rapid refixation from one point in the visual field to another.

Efferent

- Orbit
 - Extraocular muscles

- Anatomy
- Examination
- Diagnoses
- Tests

- Trauma
- Mass
- Neuromuscular junction
- Single cranial nerves
- Multiple cranial nerves
- Intraparenchymal problem
 INO
 - Gaze palsy



- Orbit
 - Extraocular muscles
 - Trauma
 - Mass
- Neuromuscular junction
- Single cranial nerves
- Multiple cranial nerves
- Intraparenchymal problem
 INO
 - Gaze palsy



• Orbit

- Extraocular muscles
- Trauma
- Mass
- Neuromuscular junction
- Single cranial nerves
- Multiple cranial nerves
- Intraparenchymal problem
 INO
 - Gaze palsy



• Orbit


- Extraocular muscles
- Trauma
- Mass
- Neuromuscular junction
- Single cranial nerves
- Multiple cranial nerves
- Intraparenchymal problem
 INO
 - Gaze palsy

14 yo boy









- Orbit
 - Extraocular muscles
 - Trauma
 - Mass
- Neuromuscular junction
- Single cranial nerves
- Multiple cranial nerves
- Intraparenchymal problem
 INO
 - Gaze palsy

29 yo man



- Left optic nerve sheath meningioma resected in 1988
- Developed progressive ptosis in 1993 with pain, treated as sinusitis and resolved
- Syndrome recurred in 9/00

29 yo man







- Orbit
 - Extraocular muscles
 - Trauma
 - Mass
- Neuromuscular junction
- Single cranial nerves
- Multiple cranial nerves
- Intraparenchymal problem
 INO
 - Gaze palsy

• Orbit

- Extraocular muscles
- Trauma
- Mass
- Neuromuscular junction
- Single cranial nerves
- Multiple cranial nerves
- Intraparenchymal problem
 INO
 - Gaze palsy

Oculomotor nerve (3)


Trochlear nerve (4)

Abducens nerve (6)




Oculomotor nerve (3) Trochlear nerve (4) Abducens nerve (6)

Oculomotor CN Palsy















- Orbit
 - Extraocular muscles
 - Trauma
 - Mass
- Neuromuscular junction
- Single cranial nerves
- Multiple cranial nerves
- Intraparenchymal problem
 INO
 - Gaze palsy




• Orbit

- Extraocular muscles
- Trauma
- Mass
- Neuromuscular junction
- Single cranial nerves
- Multiple cranial nerves
- Intraparenchymal problem
 INO
 - Gaze palsy



- Extraocular muscles
- Trauma
- Mass
- Neuromuscular junction
- Single cranial nerves
- Multiple cranial nerves
- Intraparenchymal problem
 INO
 - Gaze palsy





- Orbit
 - Extraocular muscles
 - Trauma
 - Mass
- Neuromuscular junction
- Single cranial nerves
- Multiple cranial nerves
- Intraparenchymal problem
 INO
 - Gaze palsy

Unusual faces

- Afferent
- Efferent
- Other



- Afferent
- Efferent
- Other

Unusual scans



Unusual teeth

- Afferent
- Efferent
- Other



- Afferent
- Efferent
- Other

Unusual skin lesions



• Afferent

- Efferent
- Other

Unusual postures



- Afferent
- Efferent
- Other

And much, much more ...