

Domestic Violence

Dr Aljohara Almeneessier KSU, 2017

Learning Objectives

- Differentiate violence against women (VAW) from domestic violence (DV)/family violence
- Identify different types of violence
- Identify different victims of domestic violence
- Recognize sign and symptoms of violence
- Identify risk factors in domestic violence
- List bio-psycho-social consequences of domestic violence
- Outline resources of victim support in Saudi Arabia
 - الهدف الديني •



Ice Breakers



واحد متجوز وقاعد في البيت وبيبص كتير في عقد الزواج، مراته قالت له" بتبص في عقد الزواج ليه يا حبيبي؟ "قالها" بأبحث عن تاريخ إنتهاء العقد.





فيه سورية ولبنانية وسعبودية أتفقوا إنهم يقولون لأزواجهم إنهم ماراح يشتغلون بالبيت

وبعد أسبوع إلتقوا

قالت السورية :أنا أول يوم وثاني يوم ماشفت شي وثالث يوم غسل ملابسه بنفسه :

قالت اللبنانيه:

أنا أول يوم وثاني يوم ماشفت شي وثالث يوم "غداني برا" قالت السعودية


انا أول يوم وثاني يوم ماشفت شي وثالث يوم بديت أشوف شوي بعيني اليسار

ربي يعظم أجركم بالسعوديات " نكته بريئة!! " - جمد الثقافة aljsad.org/showthread.php?t=118395 * Translate this page وثالث يوم بديت أشوف شوي بعيني اليمال. وبعدين غير متواجد ... تحمد ربها أنها ماشافت شي يعينها باليوم الاول. متعرد بلا حدود غير ... اجل بدت تشوف شوي ، زين ما ذبحها

نكت رومانسية هعهعهههه - منتدى موقع د عمرو خالد forum.amrkhaled.net/printthread.php?t=431051... - Translate this page Sep 10, 2011 - 20 posts - 6 authors مارت تشوف بعينها الثمال معها معها بتشوف بالعين اليسار كمان وحلوة بدوا يشوف أنتهاء العقد هاهاها جديدة عليي ... تسلم إيدك يا بان حلوين ...

3 ستات زهقوا من شغل البيت تعالوا نشوف عملوا ايه ؟ - منتديات الخليفي www.kulifi.com/v/t33568.html ▼ Translate this page
Nov 12, 2009 - 3 posts - 2 authors
... شغل البيت تعالوا نشوف عملوا ايه ؟ مرح - نكت - تسليه - صرقعه - خبال ... دربالكم ام محمد قدرت تشوف يعينها
اليمسار الحذر مطلوب واشتغلوا في البيت ...

ماشفت شي - منتديات آيـــــــــــــــة





violence against women



VAW is defined as:

"any act of gender based violence that result in, or likely to result in, physical, sexual or psychological harm or suffering to women, including threats of such acts, whether occurring in public or private life".

(WHO: putting women first. P7. 2001).



Definition of domestic violence

All behaviors/actions within the family result in mental or physical injury (or death) to another member of the family

Studies show prevalence of domestic violence varies between 10-69%. This variation is due to different study designs and cultural factors.

Saudi Arabia few studies showed similar result (incidence ?)....why

العنف الأسري في المجتمع السعودي
















- The annual incidence of all interpersonal violence has been estimated at 47 assaults per 1000 women and 32 assaults per 1000 men.
- Other estimates suggest that as a result of the 1.3 million women and 800,000 men who are physically abused in the United States each year, there are over 2 million injuries and 1300 deaths.
- Although 28% of female homicide victims were killed by their current or former male partners, only 3% of men were murdered by current or former female partners.



CHILD MALTREATMENT







INTIMATE PARTNER VIOLENCE







ELDER MISTREATMENT







Physical violence,

- as defined by the Centers for Disease Control and Prevention (CDC), is the "intentional use of physical force with the potential for causing death, disability, injury, or harm."
- This includes, but is not limited to, the following acts:
 scratching, pushing, shoving, throwing, grabbing, biting,
 choking, shaking, slapping, punching, burning, use of a
 weapon, and use of restraints or one's body, size, or strength
 against another person.
- In the most extreme cases, physical violence may involve homicide.

Emotional/psychological abuse

- includes humiliation, controlling behavior, repeated verbal assaults (name-calling), isolation (rejection, withholding attention and affection), threats, and public harassment, all of which can produce psychological trauma that reduces a person's self-worth, value, and sense of efficacy.
- Emotional/psychological violence often coexists with chronic physical or sexual violence, but can also stand alone.

Financial abuse

- is when a person withholds resources such as money or transportation, or limits freedom of movement or association (eg, domination, isolation) of another person—a tactic often found in abusive relationships.
- Financial abuse most often involves the inappropriate transfer or use of an elder's funds for the caregiver's purposes.

Neglect

is the chronic failure of a person who is responsible for the physical and emotional needs of another person to provide for those needs.


This form of abuse most often occurs in family relationships and is directed at children, elders, or disabled family members. However, caregivers in other social/community settings, including child and adult day care, schools, group homes, nursing facilities, and hospitals, may be involved in neglect of a dependent person.

Sexual violence

is any sexual act or attempt to obtain a sexual act by violence or threat, unwanted sexual comments or advances, acts to traffic a person or acts directed against a person's sexuality, regardless of the relationship to the victim.

The most common form of elder abuse is neglect, followed by physical abuse, financial exploitation, emotional abuse, and sexual abuse.









جريدة الرياض : غصون صورة ومرآة لباطن مجتمع!

فهل الأنظمة الحالية كافية لإنصاف كثير من قضايا العنف الأسري وحماية ... 2008 (يناير)كانون الثاني 25 ... عندما يكون الجو مشحون بالتوتر والقلق، تتحول البلطجة عائليةضحاياها؟



الدعوه للتوعيه المجتمعيه بحقوق المراه والطفل ونبذ اشكال العنف

البعيده المدى ومنها الكابه المزمنه واهمال الذات وخصت في ورقتها العنف ضد الزوجه وتعرضت د سهام الصويغ عميده كليه التربيه في ورقتها عن تاثيرات العنف العائلي على الام والطفل الى العلاقه بين العنف ضد المراه التاريخ 2005/12/20 :

العنف ضد المراه ...حالات اجرام فرديه مشينه مسيئه للمجتمع

العنف ضد المراه ...حالات اجرام فرديه مشينه مسيئه للمجتمع التاريخ 2007/01/11 :

جريدة الرياض : العنف ضد المرأة .. يولد الاكتئاب والشعور بالدونية!!

11شباط) فبراير ... 2005 (أما موضوع الانتحار أو التفكير بالانتحار فإن النسبة بلغت بين السيدات اللاتي تعرضن للعنف العائلي والايذاء حوالي 40,5٪ مقارنة بحوالي 4,6٪ ه


••
















What are the risk factors that make individual be victimized?



Age: Findings are relatively consistent that age is protective against IPV in adulthood.

Gender: The reviewed studies generally indicate that men and women are relatively equally likely to perpetrate IPV

In clinically abusive relationships, men and women used physical abuse, although more women needed medical treatment for injury.

Education appeared to be a more significant predictor than employment status. Income was found to be a relatively strong predictor of IPV

Lussier, Farrington, and Moffitt (2009) found in a long-term study that, after controlling for antisocial behavior, the only developmental risk factor predictive of IPV in adulthood for men was low verbal IQ.

O'Donnell, Smith, and Madison (2002) found that lower income was associated with greater IPV

Capaldi et al. Capaldi et al. Partner Abuse. Author manuscript; available in PMC 2012 June 27.

BOX 7-1 Risk Factors for Domestic Violence

Medical

Alcoholism/substance abuse

Mental or physical disability

Relationships

Past history of abusive relationships

Witness to parental violence as a child or adolescent

Rigid family rules or conflicted roles

Social isolation


External Stressors

Poverty, financial struggle

Losses

Work stress

Life cycle changes



Women may present to the clinic

24 years old Saudi female is frequent attender to KKUH clinic with back-pain

18 years old Saudi female who presented to KKUH clinic with abdominal pain Physical exam showed extensive post burn scar over the chest and abdomen





TABLE 46.1 Suspicious Injuries for Child Abuse

Bruises in non-weight-bearing child

Numerous bruises

Bruises over fleshy body parts (i.e., buttocks, thighs, cheeks)

Scalds (especially symmetric, perineal, clear margins)

Rib fractures

Metaphyseal fractures in children younger than age 2 years

Brain injuries (especially subdural hemorrhage)

Pattern skin injuries (i.e., iron, stove eye, loop, cigarette burn)

Oral injuries (especially labial frenulum laceration in non-weight-bearing child)



TABLE 46.2 Situations that Should Raise Suspicion for Intimate Partner Violence

Injuries to the face or trunk Pattern of injury not consistent with explanation given Frequent somatic complaints Chronic pain syndromes Recurrent sexual health concerns Late entry into prenatal care Frequent late or missed appointments

TABLE 46.4 Intimate Partner Violence Red Flags Indicating Increased Risk for Serious Injury or Homicide (45)

Increasing frequency or severity of violence Recent use of or threats with a weapon

Homicide or suicide threats

Hostage taking or stalking

Alcohol or drug use


Recent separation from or threats to leave partner

Frequent mental health complaints

Substance abuse

TABLE 46.3 Tools to Assess for Intimate Partner Violence (46)

Test	Sensitivity (%)	Specificity (%)
Abuse Assessment Screen 1. Have you ever been emotionally or physically abused by your partner or someone important to you? 2. Within the last year, have you been hit, slapped, kicked, or otherwise physically hurt by someone? 3. Since you've been pregnant, have you been slapped, kicked, or otherwise physically hurt by someone? If YES, who? 4. Within the last year, has anyone forced you to have sexual activities? If YES, who? 5. Are you afraid of your partner or anyone you listed above? Any yes answer considered positive for abuse	93	55
HITS 1. How often does your partner physically Hurt you? 2. How often does your partner Insult or talk down to you? 3. How often does your partner Threaten you with physical harm? 4. How often does your partner Scream or curse at you? Each question is answered on a 5-point scale: 1 = never, 2 = rarely, 3 = sometimes, 4 = fairly often, 5 = frequently Score ≥ 10 considered positive for abuse	86-96	91-99
Partner Violence Screen 1. Have you been hit, kicked, punched, or otherwise hurt by someone within the past year? If so, by whom? 2. Do you feel safe in your current relationship? 3. Is there a partner from a previous relationship who is making you feel unsafe now? Yes answer to question 1 if perpetrator is current or former partner, no answer to question 2 or yes answer to question 3 considered a positive test	65-71	80-84
WAST-short 1. In general, how would you describe your relationship? • A lot of tension • No tension 2. Do you and your partner work out arguments with: • Great difficulty? • Some difficulty? • No difficulty? • No difficulty? *A lot of tension" on question 1 or "great difficulty" on question 2 considered a positive test	92	100




Why a woman may not wish to report abuse or leave a relationship

- Fear of reprisal or counter charges being laid by their partner
- Too worn down to seek help
- Living in fear of severe violence
- Fear their children will be taken away
- Unable or to recognise the cycle of abuse
- Social isolation
- Financial dependence
- Emotional dependence and fear
- Poor self-esteem
- Cultural or religious issues

Consequences of domestic violenc

- Family violence has a significant negative impact on health and wellbeing,
- patients present to general practice with varying physical and psychological issues.





The Nine steps to intervention – the 9 Rs Health practitioners need to understand their:

- Role with patients who are experiencing abuse and violence
- Readiness to be open to
- Recognize symptoms of abuse and violence, ask directly and sensitively and
- Respond to disclosures of violence with empathic listening and explore
- Risk and safety issues
- Review the patient for follow-up and support
- Refer appropriately and also
- Reflect on their own attitudes and management of abuse and violence
- Respect for patients, colleagues and themselves is an overarching principle of this sensitive work

The Royal Australian College of General Practitioners from: Abuse and violence: Working with our patients in general practice, 4th edn. Melbourne: RACGP, 2014



أرقام هواتف وفاكسات لجان الحماية الاجتماعية بالمناطق السعودية



مركز تلقّي البلاغات على الرقم المجاني (١٩١٩) التابع للإدارة العامة للحماية الاجتماعية

الجمعية الوطنية لحقوق الإنسان

رقه الهاتف: 01 / 2102223 : رقم الفاكس 01 / 2102202 - 2102201 الموقع الإلكتروني: http://nshr.org.sa

هيئة حقوق الإنسان

رقــم الهـاتــف:

01 / 4628839 - 4628071

رقــم الفاكــس:

01 / 4612061

الموقع الإلكتروني:

http://hrc.gov.sa

برنامج الأمان الأسري الوطني

رهم الهاتية: 01/804015 - 8040154 رقيم الفاكس، 01/8040107 الموتع الإلكتروني: http://nfap.org.sa

عية بالمناطق

لجان الحماية الاجتماعية بالمناطق

المستشفيات الحكومية والأهلية

المؤسسات التعليمية

إمارات المناطق

رهم الهاتث :

07 / 7251911

الموقع الإلكتروني :

http://albaha.gov.sa

إمارة منطقة الجوف

أقسام الشرط

رقــم الهـاتــف : 04 / 6241555 رقــم الفاكــس : 04 / 6242852 الموقع الإلكتروني : http://aljouf.gov.sa

إمارة المنطقة الشرقية

رهــم الهـاتــف : 03 / 8330000 رهــم الفاكــس : 03 / 8331803 الموقع الإلكتروني : http://sharqiah.gov.sa

إمارة منطقة القصيم

رقم الباتث: 06 / 3231818 رقم الفاكس: 06 / 3249056 الموقع الإلكتروني: http://alqassim.gov.sa

إمارة منطقة الرياض

رقم الهاتث: 201 / 114444 رقم الفاكس: رقم الفاكس: 214115512 الموقع الإلكتروني: 21415; // riyadh.gov.sa

إمارة منطقة الحدود الشمالية

رقم الهاتث: 04 / 6600010

إمارة منطقة عسير

رقه الهاتية :

07 / 2311000

رقم الفاكس :

07 / 2242825

14 قع الإلكتروني :

http://aseer.gov.sa

إمارة منطقة حائل

رقم الهاتف : 06 / 5333335 رقم الفاكس : 06 / 5321010 الموقع الإلكتروني : http://hail..gov.sa

إمارة منطقة جازان

رقــم الهــاتــف : 07 / 3221000 رقــم الفاكــس : 07 / 3176833 الموقع الإلكتروني : http://jazan.gov.sa

إمارة منطقة المدينة المنورة

وقــم الباتــف: 8004420013 وقــم الفاكــس: 04/8287197 الموقع الإلكتروني: http://imaratalmadinah.gov.sa

إمارة منطقة نجران

- رقـــم الهــاتـــث : 07 / 5221041
- رقــم الفاكـس : 7221733 / 07

إمارة منطقة مكة المكرمة

رقــم الهــاتــف : 02 / 5722727 الموقع الإلكتروني : http://makkah.gov.sa

إمارة منطقة تبوك

رقــم الهــاتـــف: 04 / 4221408 الموقع الإلكتروني: http://tabuk.gov.sa





Take-home messages:

- Family violence refers to any abuse within a family and includes physical violence, emotional, sexual, economic and social abuse.
- Prevalence of the domestic violence is increasing due to increase reporting
- Risk factors (gender, health status, education and economy)
- Family violence have a significant negative impact on health and are very common in clinical practice.
- FPs are in a unique position to recognize, ask and appropriately respond to families who are experiencing violence.
- Different women shelters are available for support in the Kingdom of Saudi Arabia

Assignment 2 marks Deadline March 18

Construct a mined map of family violence that illustrate

- 1. Types Of Domestic Violence
- 2. Victims Of Domestic Violence
- 3. Sign And Symptoms Of Domestic Violence
- 4. Risk Factors Lead To Be At Risk Of Domestic Violence
- 5. Consequences Of Domestic Violence
- 6. Resources Of Victim Support In Saudi Arabia

