
Introduction to Acid Base Disturbances

Dr. Riyadh Al Sehli ,MBBS, FRCPC Transplant Nephrologist 05 September, 2018

Outline

- · Components of Acid Base physiology
- Protective mechanisms that keep us alive
- How things can go wrong
- Acid Base interpretation with confidence
- Interactive cases



рН	7.8	7.7	7.6	7.5	7.4	7.3	7.2	7.1	7.0	6.9	6.8
н	16	20	26	32	40	50	63	80	100	125	16

• pH = pK + Log (HCO3/H2CO3)	• pK = 6.1]	
	HCO3/H2CO3 ratio =		
pH = 6.1 + 1.3	20/1 (26/1.3)		
pH= 7.4	• H2CO3=0.03×PCO2		
* pH can never be less			
than 6.1			
		J	
Д	CID		
Exogenous	Endogenous		
Physiological: Diet	 Physiological: metabolism (volatile & non-volatile acids) 		
• Pathological: toxins (Methanol, Ethylene Glycol)	Pathological : Ketoacids and		
	lactate		
		1	
BA	ASE		
HCO3 is the kidney far			
• Liver produces HCO3	from some precursors		
(Lactate, Citrate)			

LITE	savin	g mec	nan	ısms
	Juviii	5 11166	I I GI I	

- · Blood Buffers
- Respiratory reaction (ventilation)
- Kidney reaction (metabolic)

Blood Buffers

Bicarbonate-Carbonic acid system	53%
Hemoglobin	35%
Albumin	7%
Phosphate	5%

H2O + CO2 = H2CO3 = H + HCO3

Respiratory mechanism

- Very quick reaction
- PCO2 and H have a potent stimulatory effect on the respiratory centre

_				
_				
_				
_				
-				
-				

Renal mechanisms

Increase of HCO3

H acid secretion

- Generation
- Absorption • NH3 synthesis

Response to Acid load

- If 10 mmol/l of Acid is added to the blood
- pH = 6.1 + log (Bicarb/carbonic acid)

pH = 6.1 + log (26-10)/(1.3+10)

= 6.1 + 0.15

pH = 6.25 (if no protective mechanism exists)

What can go wrong?

- Impaired respiratory response
- Impaired renal response

_			
_			
_			
_			
_			
_			
_			
_			
_			
_			
_			
_			
_			
_			
_			
_			

Acid base interpretation

Major tools PH Here are presented by the series of the se

Anion Gap

- · AG= Unmeasured anions Unmeasured cations
- AG= measured Cations measured anions
- AG = Na (CI + HCO3)
- Elevated Gap indicates excess acids in the blood = metabolic acidosis
- · Watch out for hypoalbuminemia!
- For each 10 point drop in albumin, add 2.5 to the calculated AG

Delta Gap mystery

• In **metabloic acidosis**, the drop in HCO3 should match the elevation in AG

Delta gap= $\Delta AG/\Delta HCO3 = 1$

- Delta gap < 1 = the drop in HCO3 is more than expected= 2 metabolic acidotic processes!
- Delta gap > 1 = the drop in HCO3 is less than expected= additional metabolic alkalotic process is present!

-

Compensatory mechanisms

Acid base defect	Primary defect	рН	Compensation
Met acidosis	Low Bicarb	Low	Low PCO2
Met alkalosis	High Bicarb	High	High PCO2
Resp alkalosis	Low PCO2	High	Low Bicarb
Respiratory acidosis	High PCO2	Low	High Bicarb

Normal Values

- pH= 7.4
- [H] = 40 nmol/l
- [HCO3] = 24 mmol/l
- PCO2 = 40 mmHg
- Anion Gap = 12
- Albumin = 40 g/l
- Delta Gap = 1
- Osmolar Gap < 10

Acid base disorder	Primary defect	Compensation
Met acidosis	Ф нсоз	1.2 drop in PCO2 for each 1 mmol decrease in HCO3
Met alkalosis	↑ нсоз	0.7 rise in PCO2 for every 1 mmol rise in HCO3
Acute resp acidosis	↑ PCO2	1 mmol rise in HCO3 for every 10 point increase in PCO2
Ch resp aciodosis	↑PCO2	3.5 mmol rise in HCO3 for every 10 point increase in PCO2
Acute resp alkalosis	V PCO2	2 mmol drop in HCO3 for every 10 point fall in PCO2
Ch resp alkalosis	V PCO2	4 mmol drop in HCO3 for every 10 point fal in PCO2

,			

Tal	20	tł	10	ha	sic	ste	nc
I GI	VC	u	IC	va.	שופ	SIC	μυ

- Describe the pH
- Identify the primary drive for pH
- · Predict the compensatory response
- Assess the actual compensatory response
- Calculate the Anion gap (AG)
- Correct the AG for albumin
- Calculate the Delta Gap (DG)
- Look for Osmolar gap (OG)

After reading a blood gas

- What is the primary disorder?
- Is it adequately compensated?
- Am I dealing with a single disorder or mixed disorders?

What is the acid base disorder?

	pH (7.4)	PCO2 mmHg (40)	HCO3 mmol/L (24)
A	7.32	28	14
В	7.47	20	20
С	7.51	49	38
D	7.08	49	14

	_
_	
_	
	_

Interactive Case-1

• 15 year old boy with abdominal pain,

рН	PCO2	HCO3
7.1	17	5

a. What is the acid base disorder?

b. What else do we need to know?

Na 130 mmol/l, Cl 105 mmol/l

c. What is the clinical diagnosis?

Interactive Case-2

23 year old man with a 3 day history of diarrhea.

ABG showed:

ĺ	рН	HCO3	PCO2
	7.28	12	26

Na= 135, Cl=110, K= 3.2

Interactive Case-3

- 55 yo man k/c of BA. In ER with SOB and cough for 2 days
- ABG: pH= 7.32, PCO2= 50, HCO3= 25
- Na= 134 , K= 4.5 , Cl= 100

What is the acid base disorder?

Interactive Case-4
• 55 yo man with COPD. Admitted for elective
hernia repair. Pre operative ABG showed :
• pH= 7.37 , PCO2= 55 , HCO3= 31
• Na= 136, K= 3.5, Cl= 96
What is the disorder?
Interactive Case-5
micraente ease s
• 40 yo woman with repeated vomiting for 1
day. ABG showed : • pH= 7.49 , PCO2= 48 , HCO3= 35
• Na= 130 , K= 2.8 , Cl= 85
What is the disorder ?
Interactive case-6
a 20 ye man with abdominal ratio and discussion
 28 yo man with abdominal pain and diarrhea. He is clinically volume depleted (low BP,
tachycardia)
ABG:
pH= 7.29 HCO3= 8, PCO2= 21
Na= 133 , Cl=105

• Acidemia	
• Metabolic acidosis	
• Exp PCO2 = 20	
• AG = 20	
• AAG =8	
• ΔHCO3 =16	
• Dx: combined Gap and non-Gap metabolic	
acidosis (Diarrhea induced HCO3 loss and Lactic acidosis)	
Lactic acidosis)	